

附表:

“节能产品惠民工程”高效电机推广目录（第一批）

一、低压三相异步电动机

1、北京毕捷电机股份有限公司

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率 (%)	补贴标准 (元/KW)
1	2级	0.55 ≤ 额定功率 ≤ 22	GX100L-2	2	380	3	86.7	35
2	2级	0.55 ≤ 额定功率 ≤ 22	GX112M-2	2	380	4	87.6	35
3	2级	0.55 ≤ 额定功率 ≤ 22	GX132S1-2	2	380	5.5	88.6	35
4	2级	0.55 ≤ 额定功率 ≤ 22	GX132S2-2	2	380	7.5	89.5	35
5	2级	0.55 ≤ 额定功率 ≤ 22	GX160L-2	2	380	18.5	91.8	35
6	2级	0.55 ≤ 额定功率 ≤ 22	GX160M1-2	2	380	11	90.5	35
7	2级	0.55 ≤ 额定功率 ≤ 22	GX160M2-2	2	380	15	91.3	35
8	2级	0.55 ≤ 额定功率 ≤ 22	GX180M-2	2	380	22	92.2	35
9	2级	0.55 ≤ 额定功率 ≤ 22	GX801-2	2	380	0.75	77.5	35
10	2级	0.55 ≤ 额定功率 ≤ 22	GX802-2	2	380	1.1	82.8	35
11	2级	0.55 ≤ 额定功率 ≤ 22	GX90L-2	2	380	2.2	85.6	35
12	2级	0.55 ≤ 额定功率 ≤ 22	GX90S-2	2	380	1.5	84.1	35
13	2级	0.55 ≤ 额定功率 ≤ 22	GX100L1-4	4	380	2.2	86.4	35
14	2级	0.55 ≤ 额定功率 ≤ 22	GX100L2-4	4	380	3	87.4	35
15	2级	0.55 ≤ 额定功率 ≤ 22	GX112M-4	4	380	4	88.3	35
16	2级	0.55 ≤ 额定功率 ≤ 22	GX132M-4	4	380	7.5	90.1	35
17	2级	0.55 ≤ 额定功率 ≤ 22	GX132S-4	4	380	5.5	89.2	35
18	2级	0.55 ≤ 额定功率 ≤ 22	GX160L-4	4	380	15	91.8	35
19	2级	0.55 ≤ 额定功率 ≤ 22	GX160M-4	4	380	11	91	35
20	2级	0.55 ≤ 额定功率 ≤ 22	GX180L-4	4	380	22	92.6	35
21	2级	0.55 ≤ 额定功率 ≤ 22	GX180M-4	4	380	18.5	92.2	35
22	2级	0.55 ≤ 额定功率 ≤ 22	GX801-4	4	380	0.55	80.7	35
23	2级	0.55 ≤ 额定功率 ≤ 22	GX802-4	4	380	0.75	82.3	35
24	2级	0.55 ≤ 额定功率 ≤ 22	GX90L-4	4	380	1.5	85	35
25	2级	0.55 ≤ 额定功率 ≤ 22	GX90S-4	4	380	1.1	83.8	35
26	2级	0.55 ≤ 额定功率 ≤ 22	GX100L-6	6	380	1.5	81.5	35
27	2级	0.55 ≤ 额定功率 ≤ 22	GX112M-6	6	380	2.2	83.4	35
28	2级	0.55 ≤ 额定功率 ≤ 22	GX132M1-6	6	380	4	86.1	35
29	2级	0.55 ≤ 额定功率 ≤ 22	GX132M2-6	6	380	5.5	87.4	35
30	2级	0.55 ≤ 额定功率 ≤ 22	GX132S-6	6	380	3	84.9	35
31	2级	0.55 ≤ 额定功率 ≤ 22	GX160L-6	6	380	11	90	35
32	2级	0.55 ≤ 额定功率 ≤ 22	GX160M-6	6	380	7.5	89	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
33	2级	0.55≤额定功率≤22	GX180L-6	6	380	15	91	35
34	2级	0.55≤额定功率≤22	GX200L1-6	6	380	18.5	91.5	35
35	2级	0.55≤额定功率≤22	GX200L2-6	6	380	22	92	35
36	2级	0.55≤额定功率≤22	GX802-6	6	380	0.55	75.4	35
37	2级	0.55≤额定功率≤22	GX90L-6	6	380	1.1	79.9	35
38	2级	0.55≤额定功率≤22	GX90S-6	6	380	0.75	77.7	35
39	2级	22<额定功率≤315	GX200L1-2	2	380	30	92.9	15
40	2级	22<额定功率≤315	GX200L2-2	2	380	37	93.3	15
41	2级	22<额定功率≤315	GX225M-2	2	380	45	93.7	15
42	2级	22<额定功率≤315	GX250M-2	2	380	55	94	15
43	2级	22<额定功率≤315	GX280M-2	2	380	90	95	15
44	2级	22<额定功率≤315	GX280S-2	2	380	75	94.6	15
45	2级	22<额定功率≤315	GX315L1-2	2	380	160	95.4	15
46	2级	22<额定功率≤315	GX315L2-2	2	380	200	95.4	15
47	2级	22<额定功率≤315	GX315M-2	2	380	132	95.4	15
48	2级	22<额定功率≤315	GX315S-2	2	380	110	95	15
49	2级	22<额定功率≤315	GX355L-2	2	380	315	95.8	15
50	2级	22<额定功率≤315	GX355M-2	2	380	250	95.8	15
51	2级	22<额定功率≤315	GX200L1-4	4	380	30	93.2	15
52	2级	22<额定功率≤315	GX200L2-4	4	380	37	93.6	15
53	2级	22<额定功率≤315	GX225M-4	4	380	45	93.9	15
54	2级	22<额定功率≤315	GX250M-4	4	380	55	94.2	15
55	2级	22<额定功率≤315	GX280M-4	4	380	90	95	15
56	2级	22<额定功率≤315	GX280S-4	4	380	75	94.7	15
57	2级	22<额定功率≤315	GX315L1-4	4	380	160	95.4	15
58	2级	22<额定功率≤315	GX315L2-4	4	380	200	95.4	15
59	2级	22<额定功率≤315	GX315M-4	4	380	132	95.4	15
60	2级	22<额定功率≤315	GX315S-4	4	380	110	95.4	15
61	2级	22<额定功率≤315	GX355L-4	4	380	315	95.8	15
62	2级	22<额定功率≤315	GX355M-4	4	380	250	95.8	15
63	2级	22<额定功率≤315	GX225M-6	6	380	30	92.5	15
64	2级	22<额定功率≤315	GX250M-6	6	380	37	93	15
65	2级	22<额定功率≤315	GX280M-6	6	380	55	93.8	15
66	2级	22<额定功率≤315	GX280S-6	6	380	45	93.5	15
67	2级	22<额定功率≤315	GX315L1-6	6	380	110	95	15
68	2级	22<额定功率≤315	GX315L2-6	6	380	132	95	15
69	2级	22<额定功率≤315	GX315M-6	6	380	90	94.5	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
70	2级	22<额定功率≤315	GX315S-6	6	380	75	94.2	15
71	2级	22<额定功率≤315	GX355L-6	6	380	250	95	15
72	2级	22<额定功率≤315	GX355M1-6	6	380	160	95	15
73	2级	22<额定功率≤315	GX355M2-6	6	380	200	95	15

2、福建安波电机集团有限公司

1	2级	0.55≤额定功率≤22	MSHE100L-2	2	380/400/415	3	86.7	35
2	2级	0.55≤额定功率≤22	MSHE112M-2	2	380/400/415	4	87.6	35
3	2级	0.55≤额定功率≤22	MSHE132S1-2	2	380/400/415	5.5	88.6	35
4	2级	0.55≤额定功率≤22	MSHE132S2-2	2	380/400/415	7.5	89.5	35
5	2级	0.55≤额定功率≤22	MSHE160L-2	2	380/400/415	18.5	91.8	35
6	2级	0.55≤额定功率≤22	MSHE160M1-2	2	380/400/415	11	90.5	35
7	2级	0.55≤额定功率≤22	MSHE160M2-2	2	380/400/415	15	91.3	35
8	2级	0.55≤额定功率≤22	MSHE80M1-2	2	380/400/415	0.75	77.5	35
9	2级	0.55≤额定功率≤22	MSHE80M2-2	2	380/400/415	1.1	82.8	35
10	2级	0.55≤额定功率≤22	MSHE90L-2	2	380/400/415	2.2	85.6	35
11	2级	0.55≤额定功率≤22	MSHE90S-2	2	380/400/415	1.5	84.1	35
12	2级	0.55≤额定功率≤22	Y2HE100L-2	2	380/400/415	3	86.7	35
13	2级	0.55≤额定功率≤22	Y2HE112M-2	2	380/400/415	4	87.6	35
14	2级	0.55≤额定功率≤22	Y2HE132S1-2	2	380/400/415	5.5	88.6	35
15	2级	0.55≤额定功率≤22	Y2HE132S2-2	2	380/400/415	7.5	89.5	35
16	2级	0.55≤额定功率≤22	Y2HE160L-2	2	380/400/415	18.5	91.8	35
17	2级	0.55≤额定功率≤22	Y2HE160M1-2	2	380/400/415	11	90.5	35
18	2级	0.55≤额定功率≤22	Y2HE160M2-2	2	380/400/415	15	91.3	35
19	2级	0.55≤额定功率≤22	Y2HE180M-2	2	380/400/415	22	92.2	35
20	2级	0.55≤额定功率≤22	Y2HE80M1-2	2	380/400/415	0.75	77.5	35
21	2级	0.55≤额定功率≤22	Y2HE80M2-2	2	380/400/415	1.1	82.8	35
22	2级	0.55≤额定功率≤22	Y2HE90L-2	2	380/400/415	2.2	85.6	35
23	2级	0.55≤额定功率≤22	Y2HE90S-2	2	380/400/415	1.5	84.1	35
24	2级	0.55≤额定功率≤22	MSHE100L1-4	4	380/400/415	2.2	86.4	35
25	2级	0.55≤额定功率≤22	MSHE100L2-4	4	380/400/415	3	87.4	35
26	2级	0.55≤额定功率≤22	MSHE112M-4	4	380/400/415	4	88.3	35
27	2级	0.55≤额定功率≤22	MSHE132M-4	4	380/400/415	7.5	90.1	35
28	2级	0.55≤额定功率≤22	MSHE132S-4	4	380/400/415	5.5	89.2	35
29	2级	0.55≤额定功率≤22	MSHE160L-4	4	380/400/415	15	91.8	35
30	2级	0.55≤额定功率≤22	MSHE160M-4	4	380/400/415	11	91	35
31	2级	0.55≤额定功率≤22	MSHE80M1-4	4	380/400/415	0.55	80.7	35
32	2级	0.55≤额定功率≤22	MSHE80M2-4	4	380/400/415	0.75	82.3	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
33	2级	0.55 ≤ 额定功率 ≤ 22	MSHE90L-4	4	380/400/415	1.5	85	35
34	2级	0.55 ≤ 额定功率 ≤ 22	MSHE90S-4	4	380/400/415	1.1	83.8	35
35	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE100L1-4	4	380/400/415	2.2	86.4	35
36	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE100L2-4	4	380/400/415	3	87.4	35
37	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE112M-4	4	380/400/415	4	88.3	35
38	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE132M-4	4	380/400/415	7.5	90.1	35
39	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE132S-4	4	380/400/415	5.5	89.2	35
40	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE160L-4	4	380/400/415	15	91.8	35
41	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE160M-4	4	380/400/415	11	91	35
42	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE180L-4	4	380/400/415	22	92.6	35
43	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE180M-4	4	380/400/415	18.5	92.2	35
44	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE80M1-4	4	380/400/415	0.55	80.7	35
45	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE80M2-4	4	380/400/415	0.75	82.3	35
46	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE90L-4	4	380/400/415	1.5	85	35
47	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE90S-4	4	380/400/415	1.1	83.8	35
48	2级	0.55 ≤ 额定功率 ≤ 22	MSHE100L-6	6	380/400/415	1.5	81.5	35
49	2级	0.55 ≤ 额定功率 ≤ 22	MSHE112M-6	6	380/400/415	2.2	83.4	35
50	2级	0.55 ≤ 额定功率 ≤ 22	MSHE132M1-6	6	380/400/415	4	86.1	35
51	2级	0.55 ≤ 额定功率 ≤ 22	MSHE132M2-6	6	380/400/415	5.5	87.4	35
52	2级	0.55 ≤ 额定功率 ≤ 22	MSHE132S-6	6	380/400/415	3	84.9	35
53	2级	0.55 ≤ 额定功率 ≤ 22	MSHE160L-6	6	380/400/415	11	90	35
54	2级	0.55 ≤ 额定功率 ≤ 22	MSHE160M-6	6	380/400/415	7.5	89	35
55	2级	0.55 ≤ 额定功率 ≤ 22	MSHE90L-6	6	380/400/415	1.1	79.9	35
56	2级	0.55 ≤ 额定功率 ≤ 22	MSHE90S-6	6	380/400/415	0.75	77.7	35
57	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE100L-6	6	380/400/415	1.5	81.5	35
58	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE112M-6	6	380/400/415	2.2	83.4	35
59	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE132M1-6	6	380/400/415	4	86.1	35
60	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE132M2-6	6	380/400/415	5.5	87.4	35
61	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE132S-6	6	380/400/415	3	84.9	35
62	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE160L-6	6	380/400/415	11	90	35
63	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE160M-6	6	380/400/415	7.5	89	35
64	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE180L-6	6	380/400/415	15	91	35
65	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE200L1-6	6	380/400/415	18.5	91.5	35
66	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE200L2-6	6	380/400/415	22	92	35
67	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE90L-6	6	380/400/415	1.1	79.9	35
68	2级	0.55 ≤ 额定功率 ≤ 22	Y2HE90S-6	6	380/400/415	0.75	77.7	35
69	2级	22 < 额定功率 ≤ 315	Y2HE200L1-2	2	380/400/415	30	92.9	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
70	2级	22<额定功率≤315	Y2HE200L2-2	2	380/400/415	37	93.3	15
71	2级	22<额定功率≤315	Y2HE225M-2	2	380/400/415	45	93.7	15
72	2级	22<额定功率≤315	Y2HE250M-2	2	380/400/415	55	94	15
73	2级	22<额定功率≤315	Y2HE280M-2	2	380/400/415	90	95	15
74	2级	22<额定功率≤315	Y2HE280S-2	2	380/400/415	75	94.6	15
75	2级	22<额定功率≤315	Y2HE200L-4	4	380/400/415	30	93.2	15
76	2级	22<额定功率≤315	Y2HE225M-4	4	380/400/415	45	93.9	15
77	2级	22<额定功率≤315	Y2HE225S-4	4	380/400/415	37	93.6	15
78	2级	22<额定功率≤315	Y2HE250M-4	4	380/400/415	55	94.2	15
79	2级	22<额定功率≤315	Y2HE280M-4	4	380/400/415	90	95	15
80	2级	22<额定功率≤315	Y2HE280S-4	4	380/400/415	75	94.7	15
81	2级	22<额定功率≤315	Y2HE225M-6	6	380/400/415	30	92.5	15
82	2级	22<额定功率≤315	Y2HE250M-6	6	380/400/415	37	93	15
83	2级	22<额定功率≤315	Y2HE280M-6	6	380/400/415	55	93.8	15
84	2级	22<额定功率≤315	Y2HE280S-6	6	380/400/415	45	93.5	15

3、福州万德电气有限公司

1	2级	0.55≤额定功率≤22	WE100L-2	2	230/400	3	86.7	35
2	2级	0.55≤额定功率≤22	WE112M-2	2	400/690	4	87.6	35
3	2级	0.55≤额定功率≤22	WE132S1-2	2	400/690	5.5	88.6	35
4	2级	0.55≤额定功率≤22	WE132S2-2	2	400/690	7.5	89.5	35
5	2级	0.55≤额定功率≤22	WE160L-2	2	400/690	18.5	91.8	35
6	2级	0.55≤额定功率≤22	WE160M1-2	2	400/690	11	90.6	35
7	2级	0.55≤额定功率≤22	WE160M2-2	2	400/690	15	91.3	35
8	2级	0.55≤额定功率≤22	WE180M-2	2	400/690	22	92.2	35
9	2级	0.55≤额定功率≤22	WE80M1-2	2	230/400	0.75	80.5	35
10	2级	0.55≤额定功率≤22	WE80M2-2	2	230/400	1.1	82.8	35
11	2级	0.55≤额定功率≤22	WE90L-2	2	230/400	2.2	85.6	35
12	2级	0.55≤额定功率≤22	WE90S-2	2	230/400	1.5	84.1	35
13	2级	0.55≤额定功率≤22	WE100L1-4	4	230/400	2.2	86.4	35
14	2级	0.55≤额定功率≤22	WE100L2-4	4	230/400	3	87.4	35
15	2级	0.55≤额定功率≤22	WE112M-4	4	400/690	4	88.3	35
16	2级	0.55≤额定功率≤22	WE132M-4	4	400/690	7.5	90.1	35
17	2级	0.55≤额定功率≤22	WE132S-4	4	400/690	5.5	89.2	35
18	2级	0.55≤额定功率≤22	WE160L-4	4	400/690	15	91.8	35
19	2级	0.55≤额定功率≤22	WE160M-4	4	400/690	11	91	35
20	2级	0.55≤额定功率≤22	WE180L-4	4	400/690	22	92.6	35
21	2级	0.55≤额定功率≤22	WE180M-4	4	400/690	18.5	92.2	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
22	2级	0.55≤额定功率≤22	WE80M1-4	4	230/400	0.55	80.7	35
23	2级	0.55≤额定功率≤22	WE80M2-4	4	230/400	0.75	82.3	35
24	2级	0.55≤额定功率≤22	WE90L-4	4	230/400	1.5	85	35
25	2级	0.55≤额定功率≤22	WE90S-4	4	230/400	1.1	83.8	35
26	2级	0.55≤额定功率≤22	WE100L-6	6	230/400	1.5	81.5	35
27	2级	0.55≤额定功率≤22	WE112M-6	6	230/400	2.2	83.4	35
28	2级	0.55≤额定功率≤22	WE132M1-6	6	400/690	4	86.1	35
29	2级	0.55≤额定功率≤22	WE132M2-6	6	400/690	5.5	87.4	35
30	2级	0.55≤额定功率≤22	WE132S-6	6	230/400	3	84.9	35
31	2级	0.55≤额定功率≤22	WE160L-6	6	400/690	11	90	35
32	2级	0.55≤额定功率≤22	WE160M-6	6	400/690	7.5	89	35
33	2级	0.55≤额定功率≤22	WE180L-6	6	400/690	15	91	35
34	2级	0.55≤额定功率≤22	WE200L1-6	6	400/690	18.5	91.5	35
35	2级	0.55≤额定功率≤22	WE200L2-6	6	400/690	22	92	35
36	2级	0.55≤额定功率≤22	WE80M2-6	6	230/400	0.55	75.4	35
37	2级	0.55≤额定功率≤22	WE90L-6	6	230/400	1.1	79.9	35
38	2级	0.55≤额定功率≤22	WE90S-6	6	230/400	0.75	77.7	35
39	2级	22<额定功率≤315	WE200L1-2	2	400/690	30	92.9	15
40	2级	22<额定功率≤315	WE200L2-2	2	400/690	37	93.3	15
41	2级	22<额定功率≤315	WE225M-2	2	400/690	45	93.7	15
42	2级	22<额定功率≤315	WE250M-2	2	400/690	55	94	15
43	2级	22<额定功率≤315	WE280M-2	2	400/690	90	95	15
44	2级	22<额定功率≤315	WE280S-2	2	400/690	75	94.6	15
45	2级	22<额定功率≤315	WE315L1-2	2	400/690	160	95.4	15
46	2级	22<额定功率≤315	WE315L2-2	2	400/690	200	96	15
47	2级	22<额定功率≤315	WE315M-2	2	400/690	132	95.4	15
48	2级	22<额定功率≤315	WE315S-2	2	400/690	110	95	15
49	2级	22<额定功率≤315	WE355L2-2	2	400/690	315	96.4	15
50	2级	22<额定功率≤315	WE355M-2	2	400/690	250	96	15
51	2级	22<额定功率≤315	WE200L-4	4	400/690	30	93.2	15
52	2级	22<额定功率≤315	WE225M-4	4	400/690	45	94.2	15
53	2级	22<额定功率≤315	WE250M-4	4	400/690	55	94.2	15
54	2级	22<额定功率≤315	WE225S-4	4	400/690	37	93.6	15
55	2级	22<额定功率≤315	WE280M-4	4	400/690	90	95	15
56	2级	22<额定功率≤315	WE280S-4	4	400/690	75	94.7	15
57	2级	22<额定功率≤315	WE315L1-4	4	400/690	160	95.7	15
58	2级	22<额定功率≤315	WE315L2-4	4	400/690	200	95.8	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
59	2级	22<额定功率≤315	WE315M-4	4	400/690	132	95.5	15
60	2级	22<额定功率≤315	WE315S-4	4	400/690	110	95.4	15
61	2级	22<额定功率≤315	WE355L2-4	4	400/690	315	96.4	15
62	2级	22<额定功率≤315	WE355M-4	4	400/690	250	96	15
63	2级	22<额定功率≤315	WE225M-6	6	400/690	30	92.5	15
64	2级	22<额定功率≤315	WE250M-6	6	400/690	37	93	15
65	2级	22<额定功率≤315	WE280M-6	6	400/690	55	93.8	15
66	2级	22<额定功率≤315	WE280S-6	6	400/690	45	93.5	15
67	2级	22<额定功率≤315	WE315L1-6	6	400/690	110	95	15
68	2级	22<额定功率≤315	WE315L2-6	6	400/690	132	95	15
69	2级	22<额定功率≤315	WE315M-6	6	400/690	90	94.5	15
70	2级	22<额定功率≤315	WE315S-6	6	400/690	75	94.3	15
71	2级	22<额定功率≤315	WE355L2-6	6	400/690	250	95.9	15
72	2级	22<额定功率≤315	WE355M1-6	6	400/690	160	95.5	15
73	2级	22<额定功率≤315	WE355M3-6	6	400/690	200	95.5	15

4、湖南省朝阳重工科技集团有限公司

1	2级	0.55≤额定功率≤22	YX3-100L-2	2	380	3	86.7	35
2	2级	0.55≤额定功率≤22	YX3-112M-2	2	380	4	87.6	35
3	2级	0.55≤额定功率≤22	YX3-132S1-2	2	380	5.5	88.6	35
4	2级	0.55≤额定功率≤22	YX3-132S2-2	2	380	7.5	89.5	35
5	2级	0.55≤额定功率≤22	YX3-160L-2	2	380	18.5	91.8	35
6	2级	0.55≤额定功率≤22	YX3-160M1-2	2	380	11	90.5	35
7	2级	0.55≤额定功率≤22	YX3-160M2-2	2	380	15	91.3	35
8	2级	0.55≤额定功率≤22	YX3-180M-2	2	380	22	92.2	35
9	2级	0.55≤额定功率≤22	YX3-80M1-2	2	380	0.75	77.5	35
10	2级	0.55≤额定功率≤22	YX3-80M2-2	2	380	1.1	82.8	35
11	2级	0.55≤额定功率≤22	YX3-90L-2	2	380	2.2	85.6	35
12	2级	0.55≤额定功率≤22	YX3-90S-2	2	380	1.5	84.1	35
13	2级	0.55≤额定功率≤22	YX3-100L1-4	4	380	2.2	86.4	35
14	2级	0.55≤额定功率≤22	YX3-100L2-4	4	380	3	87.4	35
15	2级	0.55≤额定功率≤22	YX3-112M-4	4	380	4	88.3	35
16	2级	0.55≤额定功率≤22	YX3-132M-4	4	380	7.5	90.1	35
17	2级	0.55≤额定功率≤22	YX3-132S-4	4	380	5.5	89.2	35
18	2级	0.55≤额定功率≤22	YX3-160L-4	4	380	15	91.8	35
19	2级	0.55≤额定功率≤22	YX3-160M-4	4	380	11	91	35
20	2级	0.55≤额定功率≤22	YX3-180L-4	4	380	22	92.6	35
21	2级	0.55≤额定功率≤22	YX3-180M-4	4	380	18.5	92.2	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
22	2级	0.55≤额定功率≤22	YX3-80M1-4	4	380	0.55	80.7	35
23	2级	0.55≤额定功率≤22	YX3-80M2-4	4	380	0.75	82.3	35
24	2级	0.55≤额定功率≤22	YX3-90L-4	4	380	1.5	85	35
25	2级	0.55≤额定功率≤22	YX3-90S-4	4	380	1.1	83.8	35
26	2级	0.55≤额定功率≤22	YX3-100L-6	6	380	1.5	81.5	35
27	2级	0.55≤额定功率≤22	YX3-112M-6	6	380	2.2	83.4	35
28	2级	0.55≤额定功率≤22	YX3-132M1-6	6	380	4	86.1	35
29	2级	0.55≤额定功率≤22	YX3-132M2-6	6	380	5.5	87.4	35
30	2级	0.55≤额定功率≤22	YX3-132S-6	6	380	3	84.9	35
31	2级	0.55≤额定功率≤22	YX3-160L-6	6	380	11	90	35
32	2级	0.55≤额定功率≤22	YX3-160M-6	6	380	7.5	89	35
33	2级	0.55≤额定功率≤22	YX3-180L-6	6	380	15	91	35
34	2级	0.55≤额定功率≤22	YX3-200L1-6	6	380	18.5	91.5	35
35	2级	0.55≤额定功率≤22	YX3-200L2-6	6	380	22	92	35
36	2级	0.55≤额定功率≤22	YX3-90L-6	6	380	1.1	79.9	35
37	2级	0.55≤额定功率≤22	YX3-90S-6	6	380	0.75	77.7	35
38	2级	22<额定功率≤315	YX3-200L1-2	2	380	30	92.9	15
39	2级	22<额定功率≤315	YX3-200L2-2	2	380	37	93.3	15
40	2级	22<额定功率≤315	YX3-225M-2	2	380	45	93.7	15
41	2级	22<额定功率≤315	YX3-250M-2	2	380	55	94	15
42	2级	22<额定功率≤315	YX3-280M-2	2	380	90	95	15
43	2级	22<额定功率≤315	YX3-280S-2	2	380	75	94.6	15
44	2级	22<额定功率≤315	YX3-315L1-2	2	380	160	95.4	15
45	2级	22<额定功率≤315	YX3-315L2-2	2	380	200	95.4	15
46	2级	22<额定功率≤315	YX3-315M-2	2	380	132	95.4	15
47	2级	22<额定功率≤315	YX3-315S-2	2	380	110	95	15
48	2级	22<额定功率≤315	YX3-355L-2	2	380	315	95.8	15
49	2级	22<额定功率≤315	YX3-355M-2	2	380	250	95.8	15
50	2级	22<额定功率≤315	YX3-200L-4	4	380	30	93.2	15
51	2级	22<额定功率≤315	YX3-225M-4	4	380	45	93.9	15
52	2级	22<额定功率≤315	YX3-225S-4	4	380	37	93.6	15
53	2级	22<额定功率≤315	YX3-250M-4	4	380	55	94.2	15
54	2级	22<额定功率≤315	YX3-280M-4	4	380	90	95	15
55	2级	22<额定功率≤315	YX3-280S-4	4	380	75	94.7	15
56	2级	22<额定功率≤315	YX3-315L1-4	4	380	160	95.4	15
57	2级	22<额定功率≤315	YX3-315L2-4	4	380	200	95.4	15
58	2级	22<额定功率≤315	YX3-315M-4	4	380	132	95.4	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
59	2级	22<额定功率≤315	YX3-315S-4	4	380	110	95.4	15
60	2级	22<额定功率≤315	YX3-355L-4	4	380	315	95.8	15
61	2级	22<额定功率≤315	YX3-355M-4	4	380	250	95.8	15
62	2级	22<额定功率≤315	YX3-225M-6	6	380	30	92.5	15
63	2级	22<额定功率≤315	YX3-250M-6	6	380	37	93	15
64	2级	22<额定功率≤315	YX3-280M-6	6	380	55	93.8	15
65	2级	22<额定功率≤315	YX3-280S-6	6	380	45	93.5	15
66	2级	22<额定功率≤315	YX3-315L1-6	6	380	110	95	15
67	2级	22<额定功率≤315	YX3-315L2-6	6	380	132	95	15
68	2级	22<额定功率≤315	YX3-315M-6	6	380	90	94.5	15
69	2级	22<额定功率≤315	YX3-315S-6	6	380	75	94.2	15
70	2级	22<额定功率≤315	YX3-355L-6	6	380	250	95	15
71	2级	22<额定功率≤315	YX3-355M1-6	6	380	160	95	15
72	2级	22<额定功率≤315	YX3-355M2-6	6	380	200	95	15

5、佳木斯电机股份有限公司

1	2级	0.55≤额定功率≤22	YB3 100L-2	2	220/380	3	86.7	35
2	2级	0.55≤额定功率≤22	YB3 112M-2	2	380/660	4	87.6	35
3	2级	0.55≤额定功率≤22	YB3 132S1-2	2	380/660	5.5	88.6	35
4	2级	0.55≤额定功率≤22	YB3 132S2-2	2	380/660	7.5	89.5	35
5	2级	0.55≤额定功率≤22	YB3 160L-2	2	380/660	18.5	91.8	35
6	2级	0.55≤额定功率≤22	YB3 160M1-2	2	380/660	11	91	35
7	2级	0.55≤额定功率≤22	YB3 160M2-2	2	380/660	15	91.3	35
8	2级	0.55≤额定功率≤22	YB3 180M-2	2	380/660	22	92.2	35
9	2级	0.55≤额定功率≤22	YB3 80M1-2	2	220/380	0.75	77.5	35
10	2级	0.55≤额定功率≤22	YB3 80M2-2	2	220/380	1.1	82.8	35
11	2级	0.55≤额定功率≤22	YB3 90L-2	2	220/380	2.2	85.6	35
12	2级	0.55≤额定功率≤22	YB3 90S-2	2	220/380	1.5	84.1	35
13	2级	0.55≤额定功率≤22	YBX2 100L-2	2	220/380	3	86.7	35
14	2级	0.55≤额定功率≤22	YBX2 112M-2	2	380/660	4	87.6	35
15	2级	0.55≤额定功率≤22	YBX2 132S1-2	2	380/660	5.5	88.6	35
16	2级	0.55≤额定功率≤22	YBX2 132S2-2	2	380/660	7.5	89.5	35
17	2级	0.55≤额定功率≤22	YBX2 160L-2	2	380/660	18.5	91.8	35
18	2级	0.55≤额定功率≤22	YBX2 160M1-2	2	380/660	11	90.5	35
19	2级	0.55≤额定功率≤22	YBX2 160M2-2	2	380/660	15	91.3	35
20	2级	0.55≤额定功率≤22	YBX2 180M-2	2	380/660	22	92.2	35
21	2级	0.55≤额定功率≤22	YBX2 80M1-2	2	220/380	0.75	77.5	35
22	2级	0.55≤额定功率≤22	YBX2 80M2-2	2	220/380	1.1	82.8	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
23	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 90L-2	2	220/380	2.2	85.6	35
24	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 90S-2	2	220/380	1.5	84.1	35
25	2级	0.55 ≤ 额定功率 ≤ 22	YB3 100L1-4	4	220/380	2.2	86.4	35
26	2级	0.55 ≤ 额定功率 ≤ 22	YB3 100L2-4	4	220/380	3	87.4	35
27	2级	0.55 ≤ 额定功率 ≤ 22	YB3 112M-4	4	380/660	4	88.3	35
28	2级	0.55 ≤ 额定功率 ≤ 22	YB3 132M-4	4	380/660	7.5	90.1	35
29	2级	0.55 ≤ 额定功率 ≤ 22	YB3 132S-4	4	380/660	5.5	89.2	35
30	2级	0.55 ≤ 额定功率 ≤ 22	YB3 160L-4	4	380/660	15	91.8	35
31	2级	0.55 ≤ 额定功率 ≤ 22	YB3 160M-4	4	380/660	11	91	35
32	2级	0.55 ≤ 额定功率 ≤ 22	YB3 180L-4	4	380/660	22	92.6	35
33	2级	0.55 ≤ 额定功率 ≤ 22	YB3 180M-4	4	380/660	18.5	92.2	35
34	2级	0.55 ≤ 额定功率 ≤ 22	YB3 80M1-4	4	220/380	0.55	80.7	35
35	2级	0.55 ≤ 额定功率 ≤ 22	YB3 80M2-4	4	220/380	0.75	82.3	35
36	2级	0.55 ≤ 额定功率 ≤ 22	YB3 90L-4	4	220/380	1.5	85	35
37	2级	0.55 ≤ 额定功率 ≤ 22	YB3 90S-4	4	220/380	1.1	83.8	35
38	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 100L1-4	4	220/380	2.2	86.4	35
39	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 100L2-4	4	220/380	3	87.4	35
40	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 112M-4	4	380/660	4	88.3	35
41	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 132M-4	4	380/660	7.5	90.1	35
42	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 132S-4	4	380/660	5.5	89.2	35
43	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 160L-4	4	380/660	15	91.8	35
44	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 160M-4	4	380/660	11	91	35
45	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 180L-4	4	380/660	22	92.6	35
46	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 180M-4	4	380/660	18.5	92.2	35
47	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 80M1-4	4	220/380	0.55	80.7	35
48	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 80M2-4	4	220/380	0.75	82.3	35
49	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 90L-4	4	220/380	1.5	85	35
50	2级	0.55 ≤ 额定功率 ≤ 22	YBX2 90S-4	4	220/380	1.1	83.8	35
51	2级	0.55 ≤ 额定功率 ≤ 22	YB3 100L-6	6	220/380	1.5	81.5	35
52	2级	0.55 ≤ 额定功率 ≤ 22	YB3 112M-6	6	220/380	2.2	83.4	35
53	2级	0.55 ≤ 额定功率 ≤ 22	YB3 132M1-6	6	380/660	4	86.1	35
54	2级	0.55 ≤ 额定功率 ≤ 22	YB3 132M2-6	6	380/660	5.5	87.4	35
55	2级	0.55 ≤ 额定功率 ≤ 22	YB3 132S-6	6	220/380	3	84.9	35
56	2级	0.55 ≤ 额定功率 ≤ 22	YB3 160L-6	6	380/660	11	90	35
57	2级	0.55 ≤ 额定功率 ≤ 22	YB3 160M-6	6	380/660	7.5	89	35
58	2级	0.55 ≤ 额定功率 ≤ 22	YB3 180L-6	6	380/660	15	91	35
59	2级	0.55 ≤ 额定功率 ≤ 22	YB3 200L1-6	6	380/660	18.5	91.5	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
60	2级	0.55≤额定功率≤22	YB3 200L2-6	6	380/660	22	92	35
61	2级	0.55≤额定功率≤22	YB3 80M2-6	6	220/380	0.55	75.4	35
62	2级	0.55≤额定功率≤22	YB3 90L-6	6	220/380	1.1	79.9	35
63	2级	0.55≤额定功率≤22	YB3 90S-6	6	220/380	0.75	77.7	35
64	2级	0.55≤额定功率≤22	YBX2 100L-6	6	220/380	1.5	81.5	35
65	2级	0.55≤额定功率≤22	YBX2 112M-6	6	220/380	2.2	83.4	35
66	2级	0.55≤额定功率≤22	YBX2 132M1-6	6	380/660	4	86.1	35
67	2级	0.55≤额定功率≤22	YBX2 132M2-6	6	380/660	5.5	87.4	35
68	2级	0.55≤额定功率≤22	YBX2 132S-6	6	220/380	3	84.9	35
69	2级	0.55≤额定功率≤22	YBX2 160L-6	6	380/660	11	90	35
70	2级	0.55≤额定功率≤22	YBX2 160M-6	6	380/660	7.5	89	35
71	2级	0.55≤额定功率≤22	YBX2 180L-6	6	380/660	15	91	35
72	2级	0.55≤额定功率≤22	YBX2 200L1-6	6	380/660	18.5	91.5	35
73	2级	0.55≤额定功率≤22	YBX2 200L2-6	6	380/660	22	92	35
74	2级	0.55≤额定功率≤22	YBX2 80M2-6	6	220/380	0.55	75.4	35
75	2级	0.55≤额定功率≤22	YBX2 90L-6	6	220/380	1.1	79.9	35
76	2级	0.55≤额定功率≤22	YBX2 90S-6	6	220/380	0.75	77.7	35
77	2级	22<额定功率≤315	YB3 200L1-2	2	380/660	30	92.9	15
78	2级	22<额定功率≤315	YB3 200L2-2	2	380/660	37	93.3	15
79	2级	22<额定功率≤315	YB3 225M-2	2	380/660	45	93.7	15
80	2级	22<额定功率≤315	YB3 250M-2	2	380/660	55	94	15
81	2级	22<额定功率≤315	YB3 280M-2	2	380/660	90	95	15
82	2级	22<额定功率≤315	YB3 280S-2	2	380/660	75	94.6	15
83	2级	22<额定功率≤315	YB3 315L1-2	2	380/660	160	95.4	15
84	2级	22<额定功率≤315	YB3 315L2-2	2	380/660	200	95.4	15
85	2级	22<额定功率≤315	YB3 315M-2	2	380/660	132	95.4	15
86	2级	22<额定功率≤315	YB3 315S-2	2	380/660	110	95	15
87	2级	22<额定功率≤315	YB3 355L2-2	2	380/660	315	95.8	15
88	2级	22<额定功率≤315	YB3 355M2-2	2	380/660	250	95.8	15
89	2级	22<额定功率≤315	YB3 355S2-2	2	380/660	200	95.4	15
90	2级	22<额定功率≤315	YBX2 200L1-2	2	380/660	30	92.9	15
91	2级	22<额定功率≤315	YBX2 200L2-2	2	380/660	37	93.3	15
92	2级	22<额定功率≤315	YBX2 225M-2	2	380/660	45	93.7	15
93	2级	22<额定功率≤315	YBX2 250M-2	2	380/660	55	94	15
94	2级	22<额定功率≤315	YBX2 280M-2	2	380/660	90	95	15
95	2级	22<额定功率≤315	YBX2 280S-2	2	380/660	75	94.6	15
96	2级	22<额定功率≤315	YBX2 315L1-2	2	380/660	160	95.4	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
97	2级	22<额定功率≤315	YBX2 315L2-2	2	380/660	200	95.4	15
98	2级	22<额定功率≤315	YBX2 315M-2	2	380/660	132	95.4	15
99	2级	22<额定功率≤315	YBX2 315S-2	2	380/660	110	95	15
100	2级	22<额定功率≤315	YBX2 355L2-2	2	380/660	315	95.8	15
101	2级	22<额定功率≤315	YBX2 355M-2	2	380/660	250	95.8	15
102	2级	22<额定功率≤315	YBX2 355M2-2	2	380/660	250	95.8	15
103	2级	22<额定功率≤315	YBX2 355S2-2	2	380/660	200	95.4	15
104	2级	22<额定功率≤315	YB3 200L-4	4	380/660	30	93.2	15
105	2级	22<额定功率≤315	YB3 225M-4	4	380/660	45	93.9	15
106	2级	22<额定功率≤315	YB3 225S-4	4	380/660	37	93.6	15
107	2级	22<额定功率≤315	YB3 250M-4	4	380/660	55	94.2	15
108	2级	22<额定功率≤315	YB3 280M-4	4	380/660	90	95	15
109	2级	22<额定功率≤315	YB3 280S-4	4	380/660	75	94.7	15
110	2级	22<额定功率≤315	YB3 315L1-4	4	380/660	160	95.4	15
111	2级	22<额定功率≤315	YB3 315L2-4	4	380/660	200	95.4	15
112	2级	22<额定功率≤315	YB3 315M-4	4	380/660	132	95.4	15
113	2级	22<额定功率≤315	YB3 315S-4	4	380/660	110	95.4	15
114	2级	22<额定功率≤315	YB3 355L2-4	4	380/660	315	95.8	15
115	2级	22<额定功率≤315	YB3 355M2-4	4	380/660	250	95.8	15
116	2级	22<额定功率≤315	YB3 355S2-4	4	380/660	200	95.4	15
117	2级	22<额定功率≤315	YBX2 200L-4	4	380/660	30	93.2	15
118	2级	22<额定功率≤315	YBX2 225M-4	4	380/660	45	93.9	15
119	2级	22<额定功率≤315	YBX2 225S-4	4	380/660	37	93.6	15
120	2级	22<额定功率≤315	YBX2 250M-4	4	380/660	55	94.2	15
121	2级	22<额定功率≤315	YBX2 280M-4	4	380/660	90	95	15
122	2级	22<额定功率≤315	YBX2 280S-4	4	380/660	75	94.7	15
123	2级	22<额定功率≤315	YBX2 315L1-4	4	380/660	160	95.4	15
124	2级	22<额定功率≤315	YBX2 315L2-4	4	380/660	200	95.4	15
125	2级	22<额定功率≤315	YBX2 315M-4	4	380/660	132	95.4	15
126	2级	22<额定功率≤315	YBX2 315S-4	4	380/660	110	95.4	15
127	2级	22<额定功率≤315	YBX2 355L2-4	4	380/660	315	95.8	15
128	2级	22<额定功率≤315	YBX2 355M2-4	4	380/660	250	95.8	15
129	2级	22<额定功率≤315	YBX2 355S2-4	4	380/660	200	95.4	15
130	2级	22<额定功率≤315	YB3 225M-6	6	380/660	30	92.5	15
131	2级	22<额定功率≤315	YB3 250M-6	6	380/660	37	93	15
132	2级	22<额定功率≤315	YB3 280M-6	6	380/660	55	93.8	15
133	2级	22<额定功率≤315	YB3 280S-6	6	380/660	45	93.5	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
134	2级	22<额定功率≤315	YB3 315L1-6	6	380/660	110	95	15
135	2级	22<额定功率≤315	YB3 315L2-6	6	380/660	132	95	15
136	2级	22<额定功率≤315	YB3 315M-6	6	380/660	90	94.5	15
137	2级	22<额定功率≤315	YB3 315S-6	6	380/660	75	94.2	15
138	2级	22<额定功率≤315	YB3 355L2-6	6	380/660	250	95	15
139	2级	22<额定功率≤315	YB3 355M2-6	6	380/660	200	95	15
140	2级	22<额定功率≤315	YB3 355S-6	6	380/660	160	95	15
141	2级	22<额定功率≤315	YBX2 225M-6	6	380/660	30	92.5	15
142	2级	22<额定功率≤315	YBX2 250M-6	6	380/660	37	93	15
143	2级	22<额定功率≤315	YBX2 280M-6	6	380/660	55	93.8	15
144	2级	22<额定功率≤315	YBX2 280S-6	6	380/660	45	93.5	15
145	2级	22<额定功率≤315	YBX2 315L1-6	6	380/660	110	95	15
146	2级	22<额定功率≤315	YBX2 315L2-6	6	380/660	132	95	15
147	2级	22<额定功率≤315	YBX2 315M-6	6	380/660	90	94.5	15
148	2级	22<额定功率≤315	YBX2 315S-6	6	380/660	75	94.2	15
149	2级	22<额定功率≤315	YBX2 355L2-6	6	380/660	250	95	15
150	2级	22<额定功率≤315	YBX2 355M2-6	6	380/660	200	95	15
151	2级	22<额定功率≤315	YBX2 355S-6	6	380/660	160	95	15

6、南阳防爆集团股份有限公司

1	2级	0.55≤额定功率≤22	YAXn160M1	2	380	11	90.5	35
2	2级	0.55≤额定功率≤22	YAXn160M2	2	380	15	91.3	35
3	2级	0.55≤额定功率≤22	YAXn180M	2	380	22	92.2	35
4	2级	0.55≤额定功率≤22	YBXn132S1	2	380/660、400/690	5.5	88.6	35
5	2级	0.55≤额定功率≤22	YBXn132S2	2	380/660、400/690	7.5	89.5	35
6	2级	0.55≤额定功率≤22	YBXn160L	2	380/660、400/690	18.5	91.8	35
7	2级	0.55≤额定功率≤22	YBXn160M1	2	380/660、400/690	11	90.5	35
8	2级	0.55≤额定功率≤22	YBXn160M2	2	380/660、400/690	15	91.3	35
9	2级	0.55≤额定功率≤22	YBXn180M	2	380/660、400/690	22	92.2	35
10	2级	0.55≤额定功率≤22	YXn100L	2	380	3	86.7	35
11	2级	0.55≤额定功率≤22	YXn112M	2	380	4	87.6	35
12	2级	0.55≤额定功率≤22	YXn132S1	2	380	5.5	88.6	35
13	2级	0.55≤额定功率≤22	YXn132S2	2	380	7.5	89.5	35
14	2级	0.55≤额定功率≤22	YXn160L	2	380	18.5	91.8	35
15	2级	0.55≤额定功率≤22	YXn160M1	2	380	11	90.5	35
16	2级	0.55≤额定功率≤22	YXn160M2	2	380	15	91.3	35
17	2级	0.55≤额定功率≤22	YXn180M	2	380	22	92.2	35
18	2级	0.55≤额定功率≤22	YXn801	2	380	0.75	77.5	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
19	2级	0.55 ≤ 额定功率 ≤ 22	YXn802	2	380	1.1	82.8	35
20	2级	0.55 ≤ 额定功率 ≤ 22	YXn90L	2	380	2.2	85.6	35
21	2级	0.55 ≤ 额定功率 ≤ 22	YXn90S	2	380	1.5	84.1	35
22	2级	0.55 ≤ 额定功率 ≤ 22	YAXn160L	4	380	15	91.8	35
23	2级	0.55 ≤ 额定功率 ≤ 22	YAXn160M	4	380	11	91	35
24	2级	0.55 ≤ 额定功率 ≤ 22	YAXn180L	4	380	22	92.6	35
25	2级	0.55 ≤ 额定功率 ≤ 22	YAXn180M	4	380	18.5	92.2	35
26	2级	0.55 ≤ 额定功率 ≤ 22	YBXn132M	4	380/660、400/690	7.5	90.1	35
27	2级	0.55 ≤ 额定功率 ≤ 22	YBXn132S	4	380/660、400/690	5.5	89.2	35
28	2级	0.55 ≤ 额定功率 ≤ 22	YBXn160L	4	380/660、400/690	15	91.8	35
29	2级	0.55 ≤ 额定功率 ≤ 22	YBXn160M	4	380/660、400/690	11	91	35
30	2级	0.55 ≤ 额定功率 ≤ 22	YBXn180L	4	380/660、400/690	22	92.6	35
31	2级	0.55 ≤ 额定功率 ≤ 22	YBXn180M	4	380/660、400/690	18.5	92.2	35
32	2级	0.55 ≤ 额定功率 ≤ 22	YXn100L1	4	380	2.2	86.4	35
33	2级	0.55 ≤ 额定功率 ≤ 22	YXn100L2	4	380	3	87.4	35
34	2级	0.55 ≤ 额定功率 ≤ 22	YXn112M	4	380	4	88.3	35
35	2级	0.55 ≤ 额定功率 ≤ 22	YXn132M	4	380	7.5	90.1	35
36	2级	0.55 ≤ 额定功率 ≤ 22	YXn132S	4	380	5.5	89.2	35
37	2级	0.55 ≤ 额定功率 ≤ 22	YXn160L	4	380	15	91.8	35
38	2级	0.55 ≤ 额定功率 ≤ 22	YXn160M	4	380	11	91	35
39	2级	0.55 ≤ 额定功率 ≤ 22	YXn180L	4	380	22	92.6	35
40	2级	0.55 ≤ 额定功率 ≤ 22	YXn180M	4	380	18.5	92.2	35
41	2级	0.55 ≤ 额定功率 ≤ 22	YXn801	4	380	0.55	80.7	35
42	2级	0.55 ≤ 额定功率 ≤ 22	YXn802	4	380	0.75	82.3	35
43	2级	0.55 ≤ 额定功率 ≤ 22	YXn90L	4	380	1.5	85	35
44	2级	0.55 ≤ 额定功率 ≤ 22	YXn90S	4	380	1.1	83.8	35
45	2级	0.55 ≤ 额定功率 ≤ 22	YAXn160L	6	380	11	90	35
46	2级	0.55 ≤ 额定功率 ≤ 22	YAXn160M	6	380	7.5	89	35
47	2级	0.55 ≤ 额定功率 ≤ 22	YAXn180L	6	380	15	91	35
48	2级	0.55 ≤ 额定功率 ≤ 22	YAXn200L1	6	380	18.5	91.5	35
49	2级	0.55 ≤ 额定功率 ≤ 22	YAXn200L2	6	380	22	92	35
50	2级	0.55 ≤ 额定功率 ≤ 22	YBXn132M1	6	380/660、400/690	4	86.1	35
51	2级	0.55 ≤ 额定功率 ≤ 22	YBXn132M2	6	380/660、400/690	5.5	87.4	35
52	2级	0.55 ≤ 额定功率 ≤ 22	YBXn160L	6	380/660、400/690	11	90	35
53	2级	0.55 ≤ 额定功率 ≤ 22	YBXn160M	6	380/660、400/690	7.5	89	35
54	2级	0.55 ≤ 额定功率 ≤ 22	YBXn180L	6	380/660、400/690	15	91	35
55	2级	0.55 ≤ 额定功率 ≤ 22	YBXn200L1	6	380/660、400/690	18.5	91.5	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
56	2级	0.55≤额定功率≤22	YBXn200L2	6	380/660、400/690	22	92	35
57	2级	0.55≤额定功率≤22	YXn100L1	6	380	1.1	79.9	35
58	2级	0.55≤额定功率≤22	YXn100L2	6	380	1.5	81.5	35
59	2级	0.55≤额定功率≤22	YXn112M	6	380	2.2	83.4	35
60	2级	0.55≤额定功率≤22	YXn132M1	6	380	4	86.1	35
61	2级	0.55≤额定功率≤22	YXn132M2	6	380	5.5	87.4	35
62	2级	0.55≤额定功率≤22	YXn132S	6	380	3	84.9	35
63	2级	0.55≤额定功率≤22	YXn160L	6	380	11	90	35
64	2级	0.55≤额定功率≤22	YXn160M	6	380	7.5	89	35
65	2级	0.55≤额定功率≤22	YXn180L	6	380	15	91	35
66	2级	0.55≤额定功率≤22	YXn200L1	6	380	18.5	91.5	35
67	2级	0.55≤额定功率≤22	YXn200L2	6	380	22	92	35
68	2级	0.55≤额定功率≤22	YXn90S	6	380	0.75	77.7	35
69	2级	22<额定功率≤315	YAXn200L1	2	380	30	92.9	15
70	2级	22<额定功率≤315	YAXn200L2	2	380	37	93.3	15
71	2级	22<额定功率≤315	YAXn225M	2	380	45	93.7	15
72	2级	22<额定功率≤315	YAXn250M	2	380	55	94	15
73	2级	22<额定功率≤315	YAXn280M	2	380	90	95	15
74	2级	22<额定功率≤315	YAXn280S	2	380	75	94.6	15
75	2级	22<额定功率≤315	YAXn315L2	2	380	200	95.4	15
76	2级	22<额定功率≤315	YAXn315S	2	380	110	95	15
77	2级	22<额定功率≤315	YAXn355L2	2	380	315	95.8	15
78	2级	22<额定功率≤315	YBXn200L1	2	380/660、400/690	30	92.9	15
79	2级	22<额定功率≤315	YBXn225M	2	380/660、400/690	45	93.7	15
80	2级	22<额定功率≤315	YBXn250M	2	380/660、400/690	55	94	15
81	2级	22<额定功率≤315	YBXn280M	2	380/660、400/690	90	95	15
82	2级	22<额定功率≤315	YBXn280S	2	380/660、400/690	75	94.6	15
83	2级	22<额定功率≤315	YBXn315L1	2	380/660、400/690	160	95.4	15
84	2级	22<额定功率≤315	YBXn315L2	2	380/660、400/690	200	95.4	15
85	2级	22<额定功率≤315	YBXn315M	2	380/660、400/690	132	95.4	15
86	2级	22<额定功率≤315	YBXn315S	2	380/660、400/690	110	95	15
87	2级	22<额定功率≤315	YBXn355L2	2	380/660、400/690	315	95.8	15
88	2级	22<额定功率≤315	YBXn355M2	2	380/660、400/690	250	95.8	15
89	2级	22<额定功率≤315	YXn200L1	2	380	30	92.9	15
90	2级	22<额定功率≤315	YXn200L2	2	380	37	93.3	15
91	2级	22<额定功率≤315	YXn225M	2	380	45	93.7	15
92	2级	22<额定功率≤315	YXn250M	2	380	55	94	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
93	2级	22<额定功率≤315	YXn280M	2	380	90	95	15
94	2级	22<额定功率≤315	YXn280S	2	380	75	94.6	15
95	2级	22<额定功率≤315	YXn315L1	2	380	160	95.4	15
96	2级	22<额定功率≤315	YXn315L2	2	380	200	95.4	15
97	2级	22<额定功率≤315	YXn315M	2	380	132	95.4	15
98	2级	22<额定功率≤315	YXn315S	2	380	110	95	15
99	2级	22<额定功率≤315	YXn355L2	2	380	315	95.8	15
100	2级	22<额定功率≤315	YAXn200L1	4	380	30	93.2	15
101	2级	22<额定功率≤315	YAXn225M	4	380	45	93.9	15
102	2级	22<额定功率≤315	YAXn225S	4	380	37	93.6	15
103	2级	22<额定功率≤315	YAXn250M	4	380	55	94.2	15
104	2级	22<额定功率≤315	YAXn280M	4	380	90	95	15
105	2级	22<额定功率≤315	YAXn280S	4	380	75	94.7	15
106	2级	22<额定功率≤315	YAXn315L1	4	380	160	95.4	15
107	2级	22<额定功率≤315	YAXn315L2	4	380	200	95.4	15
108	2级	22<额定功率≤315	YAXn315M	4	380	132	95.4	15
109	2级	22<额定功率≤315	YAXn315S	4	380	110	95.4	15
110	2级	22<额定功率≤315	YAXn355L2	4	380	315	95.8	15
111	2级	22<额定功率≤315	YAXn355M2	4	380	250	95.8	15
112	2级	22<额定功率≤315	YBXn200L	4	380/660、400/690	30	93.2	15
113	2级	22<额定功率≤315	YBXn225M	4	380/660、400/690	45	93.9	15
114	2级	22<额定功率≤315	YBXn225S	4	380/660、400/690	37	93.6	15
115	2级	22<额定功率≤315	YBXn250M	4	380/660、400/690	55	94.2	15
116	2级	22<额定功率≤315	YBXn280M	4	380/660、400/690	90	95	15
117	2级	22<额定功率≤315	YBXn280S	4	380/660、400/690	75	94.7	15
118	2级	22<额定功率≤315	YBXn315L1	4	380/660、400/690	160	95.4	15
119	2级	22<额定功率≤315	YBXn315L2	4	380/660、400/690	200	95.4	15
120	2级	22<额定功率≤315	YBXn315M	4	380/660、400/690	132	95.4	15
121	2级	22<额定功率≤315	YBXn315S	4	380/660、400/690	110	95.4	15
122	2级	22<额定功率≤315	YBXn355L2	4	380/660、400/690	315	95.8	15
123	2级	22<额定功率≤315	YBXn355M2	4	380/660、400/690	250	95.8	15
124	2级	22<额定功率≤315	YXn200L1	4	380	30	93.2	15
125	2级	22<额定功率≤315	YXn225M	4	380	45	93.9	15
126	2级	22<额定功率≤315	YXn225S	4	380	37	93.6	15
127	2级	22<额定功率≤315	YXn250M	4	380	55	94.2	15
128	2级	22<额定功率≤315	YXn280M	4	380	90	95	15
129	2级	22<额定功率≤315	YXn280S	4	380	75	94.7	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
130	2级	22<额定功率≤315	YXn315L1	4	380	160	95.4	15
131	2级	22<额定功率≤315	YXn315L2	4	380	200	95.4	15
132	2级	22<额定功率≤315	YXn315M	4	380	132	95.4	15
133	2级	22<额定功率≤315	YXn315S	4	380	110	95.4	15
134	2级	22<额定功率≤315	YXn355L2	4	380	315	95.8	15
135	2级	22<额定功率≤315	YXn355M2	4	380	250	95.8	15
136	2级	22<额定功率≤315	YAXn225M	6	380	30	92.5	15
137	2级	22<额定功率≤315	YAXn250M	6	380	37	93	15
138	2级	22<额定功率≤315	YAXn280M	6	380	55	93.8	15
139	2级	22<额定功率≤315	YAXn280S	6	380	45	93.5	15
140	2级	22<额定功率≤315	YAXn315L1	6	380	110	95	15
141	2级	22<额定功率≤315	YAXn315L2	6	380	132	95	15
142	2级	22<额定功率≤315	YAXn315M	6	380	90	94.5	15
143	2级	22<额定功率≤315	YAXn315S	6	380	75	94.2	15
144	2级	22<额定功率≤315	YAXn355L2	6	380	250	95	15
145	2级	22<额定功率≤315	YAXn355M1	6	380	160	95	15
146	2级	22<额定功率≤315	YAXn355M2	6	380	200	95	15
147	2级	22<额定功率≤315	YBXn225M	6	380/660、400/690	30	92.5	15
148	2级	22<额定功率≤315	YBXn250M	6	380/660、400/690	37	93	15
149	2级	22<额定功率≤315	YBXn280M	6	380/660、400/690	55	93.8	15
150	2级	22<额定功率≤315	YBXn280S	6	380/660、400/690	45	93.5	15
151	2级	22<额定功率≤315	YBXn315L1	6	380/660、400/690	110	95	15
152	2级	22<额定功率≤315	YBXn315L2	6	380/660、400/690	132	95	15
153	2级	22<额定功率≤315	YBXn315M	6	380/660、400/690	90	94.5	15
154	2级	22<额定功率≤315	YBXn315S	6	380/660、400/690	75	94.2	15
155	2级	22<额定功率≤315	YBXn355L2	6	380/660、400/690	250	95	15
156	2级	22<额定功率≤315	YBXn355M2	6	380/660、400/690	200	95	15
157	2级	22<额定功率≤315	YBXn355S	6	380/660、400/690	160	95	15
158	2级	22<额定功率≤315	YXn225M	6	380	30	92.5	15
159	2级	22<额定功率≤315	YXn250M	6	380	37	93	15
160	2级	22<额定功率≤315	YXn280M	6	380	55	93.8	15
161	2级	22<额定功率≤315	YXn280S	6	380	45	93.5	15
162	2级	22<额定功率≤315	YXn315L1	6	380	110	95	15
163	2级	22<额定功率≤315	YXn315L2	6	380	132	95	15
164	2级	22<额定功率≤315	YXn315M	6	380	90	94.5	15
165	2级	22<额定功率≤315	YXn315S	6	380	75	94.2	15
166	2级	22<额定功率≤315	YXn355L2	6	380	250	95	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
167	2级	22<额定功率≤315	YXn355M1	6	380	160	95	15
168	2级	22<额定功率≤315	YXn355M2	6	380	200	95	15
7、山东华力电机集团股份有限公司								
1	2级	0.55≤额定功率≤22	YX3-100L-2	2	220/380	3	86.7	35
2	2级	0.55≤额定功率≤22	YX3-112M-2	2	380/660	4	87.6	35
3	2级	0.55≤额定功率≤22	YX3-132S1-2	2	380/660	5.5	88.6	35
4	2级	0.55≤额定功率≤22	YX3-132S2-2	2	380/660	7.5	89.5	35
5	2级	0.55≤额定功率≤22	YX3-160L-2	2	380/660	18.5	91.8	35
6	2级	0.55≤额定功率≤22	YX3-160M1-2	2	380/660	11	90.5	35
7	2级	0.55≤额定功率≤22	YX3-160M2-2	2	380/660	15	91.3	35
8	2级	0.55≤额定功率≤22	YX3-180M-2	2	380/660	22	92.2	35
9	2级	0.55≤额定功率≤22	YX3-80M1-2	2	220/380	0.75	77.5	35
10	2级	0.55≤额定功率≤22	YX3-80M2-2	2	220/380	1.1	82.8	35
11	2级	0.55≤额定功率≤22	YX3-90L-2	2	220/380	2.2	85.6	35
12	2级	0.55≤额定功率≤22	YX3-90S-2	2	220/380	1.5	84.1	35
13	2级	0.55≤额定功率≤22	YX3-100L1-4	4	220/380	2.2	86.4	35
14	2级	0.55≤额定功率≤22	YX3-100L2-4	4	220/380	3	87.4	35
15	2级	0.55≤额定功率≤22	YX3-112M-4	4	380/660	4	88.3	35
16	2级	0.55≤额定功率≤22	YX3-132M-4	4	380/660	7.5	90.1	35
17	2级	0.55≤额定功率≤22	YX3-132S-4	4	380/660	5.5	89.2	35
18	2级	0.55≤额定功率≤22	YX3-160L-4	4	380/660	15	91.8	35
19	2级	0.55≤额定功率≤22	YX3-160M-4	4	380/660	11	91	35
20	2级	0.55≤额定功率≤22	YX3-180L-4	4	380/660	22	92.6	35
21	2级	0.55≤额定功率≤22	YX3-180M-4	4	380/660	18.5	92.2	35
22	2级	0.55≤额定功率≤22	YX3-80M1-4	4	220/380	0.55	80.7	35
23	2级	0.55≤额定功率≤22	YX3-80M2-4	4	220/380	0.75	82.3	35
24	2级	0.55≤额定功率≤22	YX3-90L-4	4	220/380	1.5	85	35
25	2级	0.55≤额定功率≤22	YX3-90S-4	4	220/380	1.1	83.8	35
26	2级	0.55≤额定功率≤22	YX3-100L-6	6	220/380	1.5	81.5	35
27	2级	0.55≤额定功率≤22	YX3-112M-6	6	220/380	2.2	83.4	35
28	2级	0.55≤额定功率≤22	YX3-132M1-6	6	380/660	4	86.1	35
29	2级	0.55≤额定功率≤22	YX3-132M2-6	6	380/660	5.5	87.4	35
30	2级	0.55≤额定功率≤22	YX3-132S-6	6	220/380	3	84.9	35
31	2级	0.55≤额定功率≤22	YX3-160L-6	6	380/660	11	90	35
32	2级	0.55≤额定功率≤22	YX3-160M-6	6	380/660	7.5	89	35
33	2级	0.55≤额定功率≤22	YX3-180L-6	6	380/660	15	91	35
34	2级	0.55≤额定功率≤22	YX3-200L1-6	6	380/660	18.5	91.5	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
35	2级	0.55≤额定功率≤22	YX3-200L2-6	6	380/660	22	92	35
36	2级	0.55≤额定功率≤22	YX3-90L-6	6	220/380	1.1	79.9	35
37	2级	0.55≤额定功率≤22	YX3-90S-6	6	220/380	0.75	77.7	35
38	2级	22<额定功率≤315	YX3-200L1-2	2	380/660	30	92.9	15
39	2级	22<额定功率≤315	YX3-200L2-2	2	380/660	37	93.3	15
40	2级	22<额定功率≤315	YX3-225M-2	2	380/660	45	93.7	15
41	2级	22<额定功率≤315	YX3-250M-2	2	380/660	55	94	15
42	2级	22<额定功率≤315	YX3-280M-2	2	380/660	90	95	15
43	2级	22<额定功率≤315	YX3-280S-2	2	380/660	75	94.6	15
44	2级	22<额定功率≤315	YX3-315L1-2	2	380/660	160	95.4	15
45	2级	22<额定功率≤315	YX3-315L2-2	2	380/660	200	95.4	15
46	2级	22<额定功率≤315	YX3-315M-2	2	380/660	132	95.4	15
47	2级	22<额定功率≤315	YX3-315S-2	2	380/660	110	95	15
48	2级	22<额定功率≤315	YX3-355L-2	2	380/660	315	95.8	15
49	2级	22<额定功率≤315	YX3-355M-2	2	380/660	250	95.8	15
50	2级	22<额定功率≤315	YX3-200L-4	4	380/660	30	93.2	15
51	2级	22<额定功率≤315	YX3-225M-4	4	380/660	45	93.9	15
52	2级	22<额定功率≤315	YX3-225S-4	4	380/660	37	93.6	15
53	2级	22<额定功率≤315	YX3-250M-4	4	380/660	55	94.2	15
54	2级	22<额定功率≤315	YX3-280M-4	4	380/660	90	95	15
55	2级	22<额定功率≤315	YX3-280S-4	4	380/660	75	94.7	15
56	2级	22<额定功率≤315	YX3-315L1-4	4	380/660	160	95.4	15
57	2级	22<额定功率≤315	YX3-315L2-4	4	380/660	200	95.4	15
58	2级	22<额定功率≤315	YX3-315M-4	4	380/660	132	95.4	15
59	2级	22<额定功率≤315	YX3-315S-4	4	380/660	110	95.4	15
60	2级	22<额定功率≤315	YX3-355L-4	4	380/660	315	95.8	15
61	2级	22<额定功率≤315	YX3-355M-4	4	380/660	250	95.8	15
62	2级	22<额定功率≤315	YX3-225M-6	6	380/660	30	92.5	15
63	2级	22<额定功率≤315	YX3-250M-6	6	380/660	37	93	15
64	2级	22<额定功率≤315	YX3-280M-6	6	380/660	55	93.8	15
65	2级	22<额定功率≤315	YX3-280S-6	6	380/660	45	93.5	15
66	2级	22<额定功率≤315	YX3-315L1-6	6	380/660	110	95	15
67	2级	22<额定功率≤315	YX3-315L2-6	6	380/660	132	95	15
68	2级	22<额定功率≤315	YX3-315M-6	6	380/660	90	94.5	15
69	2级	22<额定功率≤315	YX3-315S-6	6	380/660	75	94.2	15
70	2级	22<额定功率≤315	YX3-355L-6	6	380/660	250	95	15
71	2级	22<额定功率≤315	YX3-355M1-6	6	380/660	160	95	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
72	2级	22<额定功率≤315	YX3-355M2-6	6	380/660	200	95	15
8、上海ABB电机有限公司								
1	2级	0.55≤额定功率≤22	M3BA100LB2	2	230/400/415	3	86.7	35
2	2级	0.55≤额定功率≤22	M3BA112MB2	2	690/400/415	4	87.6	35
3	2级	0.55≤额定功率≤22	M3BA132SB2	2	690/400/415	5.5	88.6	35
4	2级	0.55≤额定功率≤22	M3BA132SBB2	2	690/400/415	7.5	89.5	35
5	2级	0.55≤额定功率≤22	M3BA80B2	2	230/400/415	0.75	77.5	35
6	2级	0.55≤额定功率≤22	M3BA80C2	2	230/400/415	1.1	82.8	35
7	2级	0.55≤额定功率≤22	M3BA90L2	2	230/400/415	1.5	84.1	35
8	2级	0.55≤额定功率≤22	M3BA90LB2	2	230/400/415	2.2	85.6	35
9	2级	0.55≤额定功率≤22	M3BP100LB2	2	220/240、380/420	3	86.7	35
10	2级	0.55≤额定功率≤22	M3BP112MB2	2	380/420、660/690	4	87.6	35
11	2级	0.55≤额定功率≤22	M3BP132SB2	2	380/420、660/690	5.5	88.6	35
12	2级	0.55≤额定功率≤22	M3BP132SBB2	2	380/420、660/690	7.5	89.5	35
13	2级	0.55≤额定功率≤22	M3BP160MLA2	2	380/420、660/690	11	90.5	35
14	2级	0.55≤额定功率≤22	M3BP160MLB2	2	380/420、660/690	15	91.3	35
15	2级	0.55≤额定功率≤22	M3BP160MLC2	2	380/420、660/690	18.5	91.8	35
16	2级	0.55≤额定功率≤22	M3BP180MLA2	2	380/420、660/690	22	92.2	35
17	2级	0.55≤额定功率≤22	M3BP80B2	2	230/400/415	0.75	77.5	35
18	2级	0.55≤额定功率≤22	M3BP80C2	2	230/400/415	1.1	82.8	35
19	2级	0.55≤额定功率≤22	M3BP90L2	2	230/400/415	1.5	84.1	35
20	2级	0.55≤额定功率≤22	M3BP90LB2	2	230/400/415	2.2	85.6	35
21	2级	0.55≤额定功率≤22	M3BA100LC4	4	230/400/415	2.2	86.4	35
22	2级	0.55≤额定功率≤22	M3BA100LD4	4	230/400/415	3	87.4	35
23	2级	0.55≤额定功率≤22	M3BA112MB4	4	690/400/415	4	88.3	35
24	2级	0.55≤额定功率≤22	M3BA132M4	4	690/400/415	5.5	89.2	35
25	2级	0.55≤额定功率≤22	M3BA132MB4	4	690/400/415	7.5	90.1	35
26	2级	0.55≤额定功率≤22	M3BA80D4	4	230/400/415	0.75	82.3	35
27	2级	0.55≤额定功率≤22	M3BA90LB4	4	230/400/415	1.1	83.8	35
28	2级	0.55≤额定功率≤22	M3BA90LD4	4	230/400/415	1.5	85	35
29	2级	0.55≤额定功率≤22	M3BP100LC4	4	220/240、380/420	2.2	86.4	35
30	2级	0.55≤额定功率≤22	M3BP100LD4	4	220/240、380/420	3	87.4	35
31	2级	0.55≤额定功率≤22	M3BP112MB4	4	380/420、660/690	4	88.3	35
32	2级	0.55≤额定功率≤22	M3BP132M4	4	380/420、660/690	5.5	89.2	35
33	2级	0.55≤额定功率≤22	M3BP132MB4	4	380/420、660/690	7.5	90.1	35
34	2级	0.55≤额定功率≤22	M3BP160MLA4	4	380/420、660/690	11	91	35
35	2级	0.55≤额定功率≤22	M3BP160MLB4	4	380/420、660/690	15	91.8	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
36	2级	0.55 ≤ 额定功率 ≤ 22	M3BP180MLA4	4	380/420、660/690	18.5	92.2	35
37	2级	0.55 ≤ 额定功率 ≤ 22	M3BP180MLB4	4	380/420、660/690	22	92.6	35
38	2级	0.55 ≤ 额定功率 ≤ 22	M3BP80D4	4	230/400/415	0.75	82.3	35
39	2级	0.55 ≤ 额定功率 ≤ 22	M3BP90LB4	4	230/400/415	1.1	83.8	35
40	2级	0.55 ≤ 额定功率 ≤ 22	M3BP90LD4	4	220/240/380/420	1.5	85	35
41	2级	0.55 ≤ 额定功率 ≤ 22	M3BA100L6	6	230/400/415	1.5	81.5	35
42	2级	0.55 ≤ 额定功率 ≤ 22	M3BA112MB6	6	230/400/415	2.2	83.4	35
43	2级	0.55 ≤ 额定功率 ≤ 22	M3BA132MA6	6	230/400/415	3	84.9	35
44	2级	0.55 ≤ 额定功率 ≤ 22	M3BA132MC6	6	690/400/415	5.5	87.4	35
45	2级	0.55 ≤ 额定功率 ≤ 22	M3BA90LB6	6	230/400/415	0.75	77.7	35
46	2级	0.55 ≤ 额定功率 ≤ 22	M3BA90LD6	6	230/400/415	1.1	79.9	35
47	2级	0.55 ≤ 额定功率 ≤ 22	M3BP100L6	6	220/240、380/420	1.5	81.5	35
48	2级	0.55 ≤ 额定功率 ≤ 22	M3BP112MB6	6	220/240、380/420	2.2	83.4	35
49	2级	0.55 ≤ 额定功率 ≤ 22	M3BP132MA6	6	220/240、380/420	3	84.9	35
50	2级	0.55 ≤ 额定功率 ≤ 22	M3BP132MC6	6	380/420、660/690	5.5	87.4	35
51	2级	0.55 ≤ 额定功率 ≤ 22	M3BP160MLA6	6	380/420、660/690	7.5	89	35
52	2级	0.55 ≤ 额定功率 ≤ 22	M3BP160MLB6	6	380/420、660/690	11	90	35
53	2级	0.55 ≤ 额定功率 ≤ 22	M3BP180MLA6	6	380/420、660/690	15	91	35
54	2级	0.55 ≤ 额定功率 ≤ 22	M3BP200MLA6	6	380/400/415/660/690	18.5	91.5	35
55	2级	0.55 ≤ 额定功率 ≤ 22	M3BP200MLB6	6	380/400/415/660/690	22	92	35
56	2级	0.55 ≤ 额定功率 ≤ 22	M3BP90LB6	6	230/400/415	0.75	77.7	35
57	2级	0.55 ≤ 额定功率 ≤ 22	M3BP90LD6	6	220/240/380/420	1.1	79.9	35
58	2级	22 < 额定功率 ≤ 315	M3BP200MLA2	2	380/400/415/660/690	30	92.9	15
59	2级	22 < 额定功率 ≤ 315	M3BP200MLB2	2	380/400/415/660/690	37	93.3	15
60	2级	22 < 额定功率 ≤ 315	M3BP225SMA2	2	380/400/415/660/690	45	93.7	15
61	2级	22 < 额定功率 ≤ 315	M3BP250SMA2	2	380/400/415/660/690	55	94	15
62	2级	22 < 额定功率 ≤ 315	M3BP280SMA2	2	380/400/415/660/690	75	94.6	15
63	2级	22 < 额定功率 ≤ 315	M3BP280SMB2	2	380/400/415/660/690	90	95	15
64	2级	22 < 额定功率 ≤ 315	M3BP315MLA2	2	380/400/415/660/690	200	95.4	15
65	2级	22 < 额定功率 ≤ 315	M3BP315SMA2	2	380/400/415/660/690	110	95	15
66	2级	22 < 额定功率 ≤ 315	M3BP315SMB2	2	380/400/415/660/690	132	95.4	15
67	2级	22 < 额定功率 ≤ 315	M3BP315SMC2	2	380/400/415/660/690	160	95.4	15
68	2级	22 < 额定功率 ≤ 315	M3BP355SMA2	2	380/400/415/660/690	250	95.8	15
69	2级	22 < 额定功率 ≤ 315	M3BP355SMB2	2	380/400/415/660/690	315	95.8	15
70	2级	22 < 额定功率 ≤ 315	M3BP200MLA4	4	380/400/415/660/690	30	93.2	15
71	2级	22 < 额定功率 ≤ 315	M3BP225SMA4	4	380/400/415/660/690	37	93.6	15
72	2级	22 < 额定功率 ≤ 315	M3BP225SMB4	4	380/400/415/660/690	45	93.9	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
73	2级	22<额定功率≤315	M3BP250SMA4	4	380/400/415/660/690	55	94.2	15
74	2级	22<额定功率≤315	M3BP280SMA4	4	380/400/415/660/690	75	94.7	15
75	2级	22<额定功率≤315	M3BP280SMB4	4	380/400/415/660/690	90	95	15
76	2级	22<额定功率≤315	M3BP315MLA4	4	380/400/415/660/690	200	95.4	15
77	2级	22<额定功率≤315	M3BP315SMA4	4	380/400/415/660/690	110	95.4	15
78	2级	22<额定功率≤315	M3BP315SMB4	4	380/400/415/660/690	132	95.4	15
79	2级	22<额定功率≤315	M3BP315SMC4	4	380/400/415/660/690	160	95.4	15
80	2级	22<额定功率≤315	M3BP355SMA4	4	380/400/415/660/690	250	95.8	15
81	2级	22<额定功率≤315	M3BP355SMB4	4	380/400/415/660/690	315	95.8	15
82	2级	22<额定功率≤315	M3BP225SMA6	6	380/400/415/660/690	30	92.5	15
83	2级	22<额定功率≤315	M3BP250SMA6	6	380/400/415/660/690	37	93	15
84	2级	22<额定功率≤315	M3BP280SMA6	6	380/400/415/660/690	45	93.5	15
85	2级	22<额定功率≤315	M3BP280SMB6	6	380/400/415/660/690	55	93.8	15
86	2级	22<额定功率≤315	M3BP315MLA6	6	380/400/415/660/690	132	95	15
87	2级	22<额定功率≤315	M3BP315SMA6	6	380/400/415/660/690	75	94.2	15
88	2级	22<额定功率≤315	M3BP315SMB6	6	380/400/415/660/690	90	94.5	15
89	2级	22<额定功率≤315	M3BP315SMC6	6	380/400/415/660/690	110	95	15
90	2级	22<额定功率≤315	M3BP355SMA6	6	380/400/415/660/690	160	95	15
91	2级	22<额定功率≤315	M3BP355SMB6	6	380/400/415/660/690	200	95	15
92	2级	22<额定功率≤315	M3BP355SMC6	6	380/400/415/660/690	250	95	15

9、上海百特机电有限公司

1	2级	0.55≤额定功率≤22	YX3-100L-2	2	380	3	86.7	35
2	2级	0.55≤额定功率≤22	YX3-112M-2	2	380	4	87.6	35
3	2级	0.55≤额定功率≤22	YX3-132S1-2	2	380	5.5	88.6	35
4	2级	0.55≤额定功率≤22	YX3-132S2-2	2	380	7.5	89.5	35
5	2级	0.55≤额定功率≤22	YX3-160L-2	2	380	18.5	91.8	35
6	2级	0.55≤额定功率≤22	YX3-160M2-2	2	380	15	91.3	35
7	2级	0.55≤额定功率≤22	YX3-180M-2	2	380	22	92.2	35
8	2级	0.55≤额定功率≤22	YX3-80M2-2	2	380	1.1	82.8	35
9	2级	0.55≤额定功率≤22	YX3-90L-2	2	380	2.2	85.6	35
10	2级	0.55≤额定功率≤22	YX3-90S-2	2	380	1.5	84.1	35
11	2级	0.55≤额定功率≤22	YX3-100L1-4	4	380	2.2	86.4	35
12	2级	0.55≤额定功率≤22	YX3-100L2-4	4	380	3	87.4	35
13	2级	0.55≤额定功率≤22	YX3-112M-4	4	380	4	88.3	35
14	2级	0.55≤额定功率≤22	YX3-132M-4	4	380	7.5	90.1	35
15	2级	0.55≤额定功率≤22	YX3-132S-4	4	380	5.5	89.2	35
16	2级	0.55≤额定功率≤22	YX3-160L-4	4	380	15	91.8	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
17	2级	0.55≤额定功率≤22	YX3-160M-4	4	380	11	91	35
18	2级	0.55≤额定功率≤22	YX3-180L-4	4	380	22	92.6	35
19	2级	0.55≤额定功率≤22	YX3-180M-4	4	380	18.5	92.2	35
20	2级	0.55≤额定功率≤22	YX3-80M1-4	4	380	0.55	80.7	35
21	2级	0.55≤额定功率≤22	YX3-80M2-4	4	380	0.75	82.3	35
22	2级	0.55≤额定功率≤22	YX3-90L-4	4	380	1.5	85	35
23	2级	0.55≤额定功率≤22	YX3-90S-4	4	380	1.1	83.8	35
24	2级	0.55≤额定功率≤22	YX3-100L-6	6	380	1.5	81.5	35
25	2级	0.55≤额定功率≤22	YX3-112M-6	6	380	2.2	83.4	35
26	2级	0.55≤额定功率≤22	YX3-132M1-6	6	380	4	86.1	35
27	2级	0.55≤额定功率≤22	YX3-132M2-6	6	380	5.5	87.4	35
28	2级	0.55≤额定功率≤22	YX3-132S-6	6	380	3	84.9	35
29	2级	0.55≤额定功率≤22	YX3-160L-6	6	380	11	90	35
30	2级	0.55≤额定功率≤22	YX3-160M-6	6	380	7.5	89	35
31	2级	0.55≤额定功率≤22	YX3-180L-6	6	380	15	91	35
32	2级	0.55≤额定功率≤22	YX3-200L1-6	6	380	18.5	91.5	35
33	2级	0.55≤额定功率≤22	YX3-200L2-6	6	380	22	92	35
34	2级	0.55≤额定功率≤22	YX3-90L-6	6	380	1.1	79.9	35
35	2级	0.55≤额定功率≤22	YX3-90S-6	6	380	0.75	77.7	35
36	2级	22<额定功率≤315	YX3-200L1-2	2	380	30	92.9	15
37	2级	22<额定功率≤315	YX3-200L2-2	2	380	37	93.3	15
38	2级	22<额定功率≤315	YX3-225M-2	2	380	45	93.7	15
39	2级	22<额定功率≤315	YX3-250M-2	2	380	55	94	15
40	2级	22<额定功率≤315	YX3-280M-2	2	380	90	95	15
41	2级	22<额定功率≤315	YX3-280S-2	2	380	75	94.6	15
42	2级	22<额定功率≤315	YX3-315L1-2	2	380	160	95.4	15
43	2级	22<额定功率≤315	YX3-315L2-2	2	380	200	95.4	15
44	2级	22<额定功率≤315	YX3-315M-2	2	380	132	95.4	15
45	2级	22<额定功率≤315	YX3-315S-2	2	380	110	95	15
46	2级	22<额定功率≤315	YX3-355L-2	2	380	315	95.8	15
47	2级	22<额定功率≤315	YX3-355M-2	2	380	250	95.8	15
48	2级	22<额定功率≤315	YX3-200L-4	4	380	30	93.2	15
49	2级	22<额定功率≤315	YX3-225M-4	4	380	45	93.9	15
50	2级	22<额定功率≤315	YX3-225S-4	4	380	37	93.6	15
51	2级	22<额定功率≤315	YX3-250M-4	4	380	55	94.2	15
52	2级	22<额定功率≤315	YX3-280M-4	4	380	90	95	15
53	2级	22<额定功率≤315	YX3-280S-4	4	380	75	94.7	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
54	2级	22<额定功率≤315	YX3-315L1-4	4	380	160	95.4	15
55	2级	22<额定功率≤315	YX3-315L2-4	4	380	200	95.4	15
56	2级	22<额定功率≤315	YX3-315M-4	4	380	132	95.4	15
57	2级	22<额定功率≤315	YX3-315S-4	4	380	110	95.4	15
58	2级	22<额定功率≤315	YX3-355L-4	4	380	315	95.8	15
59	2级	22<额定功率≤315	YX3-355M-4	4	380	250	95.8	15
60	2级	22<额定功率≤315	YX3-225M-6	6	380	30	92.5	15
61	2级	22<额定功率≤315	YX3-250M-6	6	380	37	93	15
62	2级	22<额定功率≤315	YX3-280M-6	6	380	55	93.8	15
63	2级	22<额定功率≤315	YX3-280S-6	6	380	45	93.5	15
64	2级	22<额定功率≤315	YX3-315L1-6	6	380	110	95	15
65	2级	22<额定功率≤315	YX3-315L2-6	6	380	132	95	15
66	2级	22<额定功率≤315	YX3-315M-6	6	380	90	94.5	15
67	2级	22<额定功率≤315	YX3-315S-6	6	380	75	94.2	15
68	2级	22<额定功率≤315	YX3-355L-6	6	380	250	95	15
69	2级	22<额定功率≤315	YX3-355M1-6	6	380	160	95	15
70	2级	22<额定功率≤315	YX3-355M2-6	6	380	200	95	15

10、卧龙电气集团股份有限公司

1	2级	0.55≤额定功率≤22	IE2-100L-2	2	380	3	86.7	35
2	2级	0.55≤额定功率≤22	IE2-112M-2	2	380	4	87.6	35
3	2级	0.55≤额定功率≤22	IE2-132S1-2	2	380	5.5	88.6	35
4	2级	0.55≤额定功率≤22	IE2-132S2-2	2	380	7.5	89.5	35
5	2级	0.55≤额定功率≤22	IE2-160L-2	2	380	18.5	91.8	35
6	2级	0.55≤额定功率≤22	IE2-160M1-2	2	380	11	90.5	35
7	2级	0.55≤额定功率≤22	IE2-160M2-2	2	380	15	91.3	35
8	2级	0.55≤额定功率≤22	IE2-180M-2	2	380	22	92.2	35
9	2级	0.55≤额定功率≤22	IE2-80M1-2	2	380	0.75	77.5	35
10	2级	0.55≤额定功率≤22	IE2-80M2-2	2	380	1.1	82.8	35
11	2级	0.55≤额定功率≤22	IE2-90L-2	2	380	2.2	85.6	35
12	2级	0.55≤额定功率≤22	IE2-90S-2	2	380	1.5	84.1	35
13	2级	0.55≤额定功率≤22	IE2-100L1-4	4	380	2.2	86.4	35
14	2级	0.55≤额定功率≤22	IE2-100L2-4	4	380	3	87.4	35
15	2级	0.55≤额定功率≤22	IE2-112M-4	4	380	4	88.3	35
16	2级	0.55≤额定功率≤22	IE2-132M-4	4	380	7.5	90.1	35
17	2级	0.55≤额定功率≤22	IE2-132S-4	4	380	5.5	89.2	35
18	2级	0.55≤额定功率≤22	IE2-160L-4	4	380	15	91.8	35
19	2级	0.55≤额定功率≤22	IE2-160M-4	4	380	11	91	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
20	2级	0.55≤额定功率≤22	IE2-180L-4	4	380	22	92.6	35
21	2级	0.55≤额定功率≤22	IE2-180M-4	4	380	18.5	92.2	35
22	2级	0.55≤额定功率≤22	IE2-80M1-4	4	380	0.55	80.7	35
23	2级	0.55≤额定功率≤22	IE2-80M2-4	4	380	0.75	82.3	35
24	2级	0.55≤额定功率≤22	IE2-90L-4	4	380	1.5	85	35
25	2级	0.55≤额定功率≤22	IE2-90S-4	4	380	1.1	83.8	35
26	2级	0.55≤额定功率≤22	IE2-100L-6	6	380	1.5	81.5	35
27	2级	0.55≤额定功率≤22	IE2-112M-6	6	380	2.2	83.4	35
28	2级	0.55≤额定功率≤22	IE2-132M1-6	6	380	4	86.1	35
29	2级	0.55≤额定功率≤22	IE2-132M2-6	6	380	5.5	87.4	35
30	2级	0.55≤额定功率≤22	IE2-132S-6	6	380	3	84.9	35
31	2级	0.55≤额定功率≤22	IE2-160L-6	6	380	11	90	35
32	2级	0.55≤额定功率≤22	IE2-160M-6	6	380	7.5	89	35
33	2级	0.55≤额定功率≤22	IE2-180L-6	6	380	15	91	35
34	2级	0.55≤额定功率≤22	IE2-200L1-6	6	380	18.5	91.5	35
35	2级	0.55≤额定功率≤22	IE2-200L2-6	6	380	22	92	35
36	2级	0.55≤额定功率≤22	IE2-90L-6	6	380	1.1	79.9	35
37	2级	0.55≤额定功率≤22	IE2-90S-6	6	380	0.75	77.7	35
38	2级	22<额定功率≤315	IE2-200L1-2	2	380	30	92.9	15
39	2级	22<额定功率≤315	IE2-200L2-2	2	380	37	93.3	15
40	2级	22<额定功率≤315	IE2-225M-2	2	380	45	93.7	15
41	2级	22<额定功率≤315	IE2-250M-2	2	380	55	94	15
42	2级	22<额定功率≤315	IE2-280M-2	2	380	90	95	15
43	2级	22<额定功率≤315	IE2-280S-2	2	380	75	94.6	15
44	2级	22<额定功率≤315	IE2-315L1-2	2	380	160	95.4	15
45	2级	22<额定功率≤315	IE2-315L2-2	2	380	200	95.4	15
46	2级	22<额定功率≤315	IE2-315M-2	2	380	132	95.4	15
47	2级	22<额定功率≤315	IE2-315S-2	2	380	110	95	15
48	2级	22<额定功率≤315	IE2-355L-2	2	380	315	95.8	15
49	2级	22<额定功率≤315	IE2-355M-2	2	380	250	95.8	15
50	2级	22<额定功率≤315	IE2-200L-4	4	380	30	93.2	15
51	2级	22<额定功率≤315	IE2-225M-4	4	380	45	93.9	15
52	2级	22<额定功率≤315	IE2-225S-4	4	380	37	93.6	15
53	2级	22<额定功率≤315	IE2-250M-4	4	380	55	94.2	15
54	2级	22<额定功率≤315	IE2-280M-4	4	380	90	95	15
55	2级	22<额定功率≤315	IE2-280S-4	4	380	75	94.7	15
56	2级	22<额定功率≤315	IE2-315L1-4	4	380	160	95.4	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
57	2级	22<额定功率≤315	IE2-315L2-4	4	380	200	95.4	15
58	2级	22<额定功率≤315	IE2-315M-4	4	380	132	95.4	15
59	2级	22<额定功率≤315	IE2-315S-4	4	380	110	95.4	15
60	2级	22<额定功率≤315	IE2-355L-4	4	380	315	95.8	15
61	2级	22<额定功率≤315	IE2-355M-4	4	380	250	95.8	15
62	2级	22<额定功率≤315	IE2-225M-6	6	380	30	92.5	15
63	2级	22<额定功率≤315	IE2-250M-6	6	380	37	93	15
64	2级	22<额定功率≤315	IE2-280M-6	6	380	55	93.8	15
65	2级	22<额定功率≤315	IE2-280S-6	6	380	45	93.5	15
66	2级	22<额定功率≤315	IE2-315L1-6	6	380	110	95	15
67	2级	22<额定功率≤315	IE2-315L2-6	6	380	132	95	15
68	2级	22<额定功率≤315	IE2-315M-6	6	380	90	94.5	15
69	2级	22<额定功率≤315	IE2-315S-6	6	380	75	94.2	15
70	2级	22<额定功率≤315	IE2-355L-6	6	380	250	95	15
71	2级	22<额定功率≤315	IE2-355M1-6	6	380	160	95	15
72	2级	22<额定功率≤315	IE2-355M2-6	6	380	200	95	15

11、浙江金龙电机股份有限公司

1	2级	0.55≤额定功率≤22	JM1 100L-2	2	380	3	86.7	35
2	2级	0.55≤额定功率≤22	JM1 112M-2	2	380	4	87.6	35
3	2级	0.55≤额定功率≤22	JM1 132S1-2	2	380	5.5	88.6	35
4	2级	0.55≤额定功率≤22	JM1 160M1-2	2	380	11	90.5	35
5	2级	0.55≤额定功率≤22	JM1 160M2-2	2	380	15	91.3	35
6	2级	0.55≤额定功率≤22	JM1 180M-2	2	380	22	92.2	35
7	2级	0.55≤额定功率≤22	JM1 801-2	2	380	0.75	77.5	35
8	2级	0.55≤额定功率≤22	JM1 90L-2	2	380	2.2	85.6	35
9	2级	0.55≤额定功率≤22	JM1 90S-2	2	380	1.5	84.1	35
10	2级	0.55≤额定功率≤22	JM1 100L1-4	4	380	2.2	86.4	35
11	2级	0.55≤额定功率≤22	JM1 100L2-4	4	380	3	87.4	35
12	2级	0.55≤额定功率≤22	JM1 112M-4	4	380	4	88.3	35
13	2级	0.55≤额定功率≤22	JM1 132M-4	4	380	7.5	90.1	35
14	2级	0.55≤额定功率≤22	JM1 132S-4	4	380	5.5	89.2	35
15	2级	0.55≤额定功率≤22	JM1 160L-4	4	380	15	91.8	35
16	2级	0.55≤额定功率≤22	JM1 160M-4	4	380	11	91	35
17	2级	0.55≤额定功率≤22	JM1 180L-4	4	380	22	92.6	35
18	2级	0.55≤额定功率≤22	JM1 180M-4	4	380	18.5	92.2	35
19	2级	0.55≤额定功率≤22	JM1 801-4	4	380	0.55	80.7	35
20	2级	0.55≤额定功率≤22	JM1 802-4	4	380	0.75	82.3	35

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
21	2级	0.55≤额定功率≤22	JM1 90L-4	4	380	1.5	85	35
22	2级	0.55≤额定功率≤22	JM1 90S-4	4	380	1.1	83.8	35
23	2级	0.55≤额定功率≤22	JM1 100L-6	6	380	1.5	81.5	35
24	2级	0.55≤额定功率≤22	JM1 112M-6	6	380	2.2	83.4	35
25	2级	0.55≤额定功率≤22	JM1 132M1-6	6	380	4	86.1	35
26	2级	0.55≤额定功率≤22	JM1 132M2-6	6	380	5.5	87.4	35
27	2级	0.55≤额定功率≤22	JM1 132S-6	6	380	3	84.9	35
28	2级	0.55≤额定功率≤22	JM1 160L-6	6	380	11	90	35
29	2级	0.55≤额定功率≤22	JM1 160M-6	6	380	7.5	89	35
30	2级	0.55≤额定功率≤22	JM1 180L-6	6	380	15	91	35
31	2级	0.55≤额定功率≤22	JM1 200L1-6	6	380	18.5	91.5	35
32	2级	0.55≤额定功率≤22	JM1 200L2-6	6	380	22	92	35
33	2级	0.55≤额定功率≤22	JM1 802-6	6	380	0.55	75.4	35
34	2级	0.55≤额定功率≤22	JM1 90L-6	6	380	1.1	79.9	35
35	2级	0.55≤额定功率≤22	JM1 90S-6	6	380	0.75	77.7	35
36	2级	22<额定功率≤315	JM1 200L1-2	2	380	30	92.9	15
37	2级	22<额定功率≤315	JM1 200L2-2	2	380	37	93.3	15
38	2级	22<额定功率≤315	JM1 225M-2	2	380	45	93.7	15
39	2级	22<额定功率≤315	JM1 250M-2	2	380	55	94	15
40	2级	22<额定功率≤315	JM1 280M-2	2	380	90	95	15
41	2级	22<额定功率≤315	JM1 280S-2	2	380	75	94.6	15
42	2级	22<额定功率≤315	JM1 315L1-2	2	380	160	95.4	15
43	2级	22<额定功率≤315	JM1 315L2-2	2	380	200	95.4	15
44	2级	22<额定功率≤315	JM1 315M-2	2	380	132	95.4	15
45	2级	22<额定功率≤315	JM1 315S-2	2	380	110	95	15
46	2级	22<额定功率≤315	JM1 355L-2	2	380	315	95.8	15
47	2级	22<额定功率≤315	JM1 355M-2	2	380	250	95.8	15
48	2级	22<额定功率≤315	JM1 225M-4	4	380	45	93.9	15
49	2级	22<额定功率≤315	JM1 225S-4	4	380	37	93.6	15
50	2级	22<额定功率≤315	JM1 250M-4	4	380	55	94.2	15
51	2级	22<额定功率≤315	JM1 280M-4	4	380	90	95	15
52	2级	22<额定功率≤315	JM1 280S-4	4	380	75	94.7	15
53	2级	22<额定功率≤315	JM1 315L1-4	4	380	160	95.4	15
54	2级	22<额定功率≤315	JM1 315L2-4	4	380	200	95.4	15
55	2级	22<额定功率≤315	JM1 315M-4	4	380	132	95.4	15
56	2级	22<额定功率≤315	JM1 315S-4	4	380	110	95.4	15
57	2级	22<额定功率≤315	JM1 355L-4	4	380	315	95.8	15

序号	能效等级	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
58	2级	22<额定功率≤315	JM1 355M-4	4	380	250	95.8	15
59	2级	22<额定功率≤315	JM1 225M-6	6	380	30	92.5	15
60	2级	22<额定功率≤315	JM1 250M-6	6	380	37	93	15
61	2级	22<额定功率≤315	JM1 280M-6	6	380	55	93.8	15
62	2级	22<额定功率≤315	JM1 280S-6	6	380	45	93.5	15
63	2级	22<额定功率≤315	JM1 315L1-6	6	380	110	95	15
64	2级	22<额定功率≤315	JM1 315L2-6	6	380	132	95	15
65	2级	22<额定功率≤315	JM1 315M-6	6	380	90	94.5	15
66	2级	22<额定功率≤315	JM1 315S-6	6	380	75	94.2	15
67	2级	22<额定功率≤315	JM1 355L-6	6	380	250	95	15
68	2级	22<额定功率≤315	JM1 355M1-6	6	380	160	95	15
69	2级	22<额定功率≤315	JM1 355M2-6	6	380	200	95	15

二、稀土永磁三相同步电动机							
1、深圳市安托山特种机电有限公司							
序号	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
1	0.55 ≤ 额定功率 ≤ 22	100-YCW-3000/1.1	8	380	1.1	83.1	40
2	0.55 ≤ 额定功率 ≤ 22	112-YCW-1500/1.1	8	380	1.1	84.1	40
3	0.55 ≤ 额定功率 ≤ 22	112-YCW-3000/1.5	8	380	1.5	84.5	40
4	0.55 ≤ 额定功率 ≤ 22	112-YCW-3000/2.2	8	380	2.2	85.9	40
5	0.55 ≤ 额定功率 ≤ 22	132-YCW-1500/1.5	8	380	1.5	85.3	40
6	0.55 ≤ 额定功率 ≤ 22	132-YCW-1500/2.2	8	380	2.2	86.7	40
7	0.55 ≤ 额定功率 ≤ 22	132-YCW-3000/3	8	380	3	87.1	40
8	0.55 ≤ 额定功率 ≤ 22	132-YCW-3000/4	8	380	4	89.3	40
9	0.55 ≤ 额定功率 ≤ 22	160-YCW-1500/3	8	380	3	87.7	40
10	0.55 ≤ 额定功率 ≤ 22	160-YCW-3000/5.5	8	380	5.5	90.1	40
2、卧龙电气集团股份有限公司							
1	0.55 ≤ 额定功率 ≤ 22	SB40502-11	4	220	.55	77	40
2	0.55 ≤ 额定功率 ≤ 22	SC40502-01	4	220	.55	77	40
3	0.55 ≤ 额定功率 ≤ 22	GAM1020130	8	220	1	78	40
4	0.55 ≤ 额定功率 ≤ 22	GAM1520130	8	220	1.5	79	40
5	0.55 ≤ 额定功率 ≤ 22	GAM2020175	8	220	2	81	40
6	0.55 ≤ 额定功率 ≤ 22	GAM3020175	8	220	3	83	40
7	0.55 ≤ 额定功率 ≤ 22	GAS073080	8	220	.75	77	40
8	0.55 ≤ 额定功率 ≤ 22	EW-1.0B	20	380	4.6	86	40
9	0.55 ≤ 额定功率 ≤ 22	EW-1.0C	20	380	5.5	87	40
10	0.55 ≤ 额定功率 ≤ 22	EW-1.0D	20	380	6.7	87.5	40
11	0.55 ≤ 额定功率 ≤ 22	EW-1.0E	20	380	8	88	40
12	0.55 ≤ 额定功率 ≤ 22	EW-1.0F	20	380	8.31	88	40
13	0.55 ≤ 额定功率 ≤ 22	EW-1.6C	20	380	8.8	88	40
14	0.55 ≤ 额定功率 ≤ 22	EW-1.6D	20	380	10.7	89.2	40
15	0.55 ≤ 额定功率 ≤ 22	EW-1.6F	20	380	12.75	90	40
16	0.55 ≤ 额定功率 ≤ 22	EW-1.75C	20	380	9.6	89	40
17	0.55 ≤ 额定功率 ≤ 22	EW-1.75D	20	380	11.7	89.5	40
18	0.55 ≤ 额定功率 ≤ 22	EW-2.0C	20	380	11	89.5	40
19	0.55 ≤ 额定功率 ≤ 22	EW-2.0D	20	380	13.3	90	40
20	0.55 ≤ 额定功率 ≤ 22	EWDI1600-1.0	20	380	11.21	89.5	40
21	0.55 ≤ 额定功率 ≤ 22	EWDI1600-1.6	20	380	17.88	91	40
22	0.55 ≤ 额定功率 ≤ 22	EWDX1000-2.5	20	380	17.54	91	40
23	0.55 ≤ 额定功率 ≤ 22	EWDX1250-2.5	20	380	21.93	91.5	40

序号	规格 (KW)	型号	极数	额定电压 (V)	额定功率 (KW)	效率(%)	补贴标准 (元/KW)
24	0.55 ≤ 额定功率 ≤ 22	EWDX1250-3.0	20	380	26.24	91.5	20
3、浙江中龙电机股份有限公司							
1	0.55 ≤ 额定功率 ≤ 22	TNYC132M-4	4	380	5.5	92	40
2	0.55 ≤ 额定功率 ≤ 22	TNYC132S-4	4	380	4	92	40
3	0.55 ≤ 额定功率 ≤ 22	TNYC112M-6	6	380	2.2	90.5	40
4	0.55 ≤ 额定功率 ≤ 22	TNYC132M1-6	6	380	4	90.5	40
5	0.55 ≤ 额定功率 ≤ 22	TNYC132M2-6	6	380	5.5	90.5	40
6	0.55 ≤ 额定功率 ≤ 22	TNYC160L-6	6	380	11	91	40
7	0.55 ≤ 额定功率 ≤ 22	TNYC160M-6	6	380	7.5	91	40
8	0.55 ≤ 额定功率 ≤ 22	TNYC180L-6	6	380	15	91.5	40
9	0.55 ≤ 额定功率 ≤ 22	TNYC200L1-6	6	380	18.5	91.5	40
10	0.55 ≤ 额定功率 ≤ 22	TNYC200L2-6	6	380	22	92	40
11	0.55 ≤ 额定功率 ≤ 22	TNYC225M-6	6	380	30	92.5	40
12	0.55 ≤ 额定功率 ≤ 22	TNYC250M-6	6	380	37	93	40
13	0.55 ≤ 额定功率 ≤ 22	TNYC280M-6	6	380	55	93.5	40
14	0.55 ≤ 额定功率 ≤ 22	TNYC280S-6	6	380	45	93.5	40
15	0.55 ≤ 额定功率 ≤ 22	TNYC132M-8	8	380	3	90.5	40
16	0.55 ≤ 额定功率 ≤ 22	TNYC160L-8	8	380	7.5	90.5	40
17	0.55 ≤ 额定功率 ≤ 22	TNYC160M1-8	8	380	4	90.5	40
18	0.55 ≤ 额定功率 ≤ 22	TNYC160M2-8	8	380	5.5	90.5	40
19	0.55 ≤ 额定功率 ≤ 22	TNYC180L-8	8	380	11	91	40
20	0.55 ≤ 额定功率 ≤ 22	TNYC200L-8	8	380	15	91	40
21	0.55 ≤ 额定功率 ≤ 22	TNYC225M-8	8	380	22	91.5	40
22	0.55 ≤ 额定功率 ≤ 22	TNYC225S-8	8	380	18.5	91.5	40
23	0.55 ≤ 额定功率 ≤ 22	TNYC250M-8	8	380	30	92.5	40
24	0.55 ≤ 额定功率 ≤ 22	TNYC280M-8	8	380	45	93.5	40
25	0.55 ≤ 额定功率 ≤ 22	TNYC280S-8	8	380	37	93	40
26	0.55 ≤ 额定功率 ≤ 22	TNYC225M1-12	12	380	15	90	40
27	0.55 ≤ 额定功率 ≤ 22	TNYC225M2-12	12	380	18.5	90.5	40
28	0.55 ≤ 额定功率 ≤ 22	TNYC225S-12	12	380	11	90	40
29	0.55 ≤ 额定功率 ≤ 22	TNYC250M1-12	12	380	22	91	40
30	0.55 ≤ 额定功率 ≤ 22	TNYC250M2-12	12	380	37	91	40
31	0.55 ≤ 额定功率 ≤ 22	TNYC280M-12	12	380	30	91	40
注：企业名单按企业名称拼音首字母排序。							